

3. 研究発表

(1) 雑誌論文

(a) 支援による成果論文（公募支援課題成果報告書の略記リストの詳細）

（著者の中で、支援依頼者は二重下線で、支援担当者は点線で示した）

秋光信佳（東京大学）

1. Mizutani R., Imamachi N., Suzuki Y., Yoshida H., Tochigi N., Oonishi T., Suzuki Y., Akimitsu N. (2015) Oncofetal protein IGF2BP3 facilitates the activity of proto-oncogene protein eIF4E through the destabilization of EIF4E-BP2 mRNA. *Oncogene*, in press 査読有り
2. Maekawa S., Imamachi N., Irie T., Tani H., Matsumoto K., Mizutani R., Imamura K., Kakeda M., Yada T., Sugano S., Suzuki Y. and Akimitsu N. (2015) Analysis of RNA decay factor mediated RNA stability contributions on RNA abundance. *BMC Genomics*, 16, 154. 査読有り
3. Tani H., Imamachi N., Mizutani R., Imamura K., Kwon Y., Miyazaki S., Maekawa S., Suzuki Y. and Akimitsu N. (2015) Genome-wide analysis of long noncoding RNA turnover, *Methods in Mol. Biol.*, 1262, 305-320 査読有り
4. Imamura K., Imamachi N., Akizuki G., Kumakura M., Kawaguchi A., Nagata K., Kato A., Kawaguchi Y., Sato H., Yoneda M., Kai C., Yada T., Suzuki Y., Yamada T., Ozawa T., Kaneki K., Inoue T., Kobayashi M., Kodama T., Wada Y., Sekimizu K. and Akimitsu N. (2014). Long noncoding RNA NEAT1-dependent SFPQ relocation between nuclear body paraspeckle and promoter mediates IL8 expression in response to immune stimuli. *Mol. Cell*, 53, 393-406 査読有り
5. Imamachi N., Tani H., Mizutani R., Imamura K., Irie T., Suzuki Y. and Akimitsu N. (2014) BRIC-seq: a genome-wide approach for determining RNA stability in mammalian cells, *Methods*, 67, 55-63. 査読有り
6. Tani T., Torimura M. and Akimitsu N. (2013) The RNA degradation pathway regulates the function of GAS5 a non-coding RNA in mammalian cells, *PLoS ONE*, 8, e55684. 査読有り
7. Tani H., Imamachi N., Salam KA., Mizutani R., Ijiri K., Irie T., Yada T., Suzuki Y., and Akimitsu N. (2013) Identification of hundreds of novel UPF1 target transcripts by direct determining whole transcriptome stability in mammalian cells, *RNA Biology*, 9, 1370-1379. 査読有り
8. 秋光信佳、長鎖ノンコーディング RNA：遺伝子発現制御メカニズム別・機能リファレンス 監修、細胞工学 2015 年 1 月号 (2015) 査読無し
9. 今町直登、秋光信佳 長鎖ノンコーディング RNA に隠された RNA 言語解読への挑戦：バイオインフォマティクスからのアプローチ、細胞工学 2015 年 1 月号 (2015) 査読無し
10. 水谷玲奈、秋光信佳 発生およびがん・神経変性疾患と関連する長鎖ノンコーディング RNA リスト、細胞工学 2015 年 1 月号 (2015) 査読無し
11. 秋光信佳、桂真理、「放射性セシウムによるヒト影響：細胞レベル影響のトランスクリプトーム解析」、環境ホルモン学会ニュースレター、17 号 (2015) 査読無し
12. 今村亮俊、秋光信佳、ライフサイエンス新着レビュー、「ウイルスの感染における長鎖非コード RNA による転写抑制因子を介したサイトカインの産生の制御」、2014 年 2 月 18 日 査読無し
13. 今村亮俊、秋光信佳、核内長鎖非コード RNA NEAT1 による自然免疫応答制御の解明、細胞工学、2014 年 5 月号 査読無し
14. 秋光信佳、RNA ダイナミクスから迫る生命現象、薬事日報、3 月特集号 (2013) 査読

無し

15. 秋光信佳、ゲノムワイドな RNA 分解測定、細胞工学別冊「次世代シーケンサー 目的別アドバンストメソッド」、100-108. (2012) 査読無し

阿部知子（理化学研究所）

1. Tomonari Hirano, Yusuke Kazama, Kotaro Ishii, Sumie Ohbu, Yuki Shirakawa, Tomoko Abe, “Comprehensive identification of mutations induced by heavy-ion beam irradiation in *Arabidopsis thaliana*” The Plant Journal, 82(1), 2015, p93-104, 査読有り
2. 阿部知子, "重イオンビームを用いた生物研究の新領域開拓—Mutagenesis から Mutagenomics へ—", Isotope News **733**, 2-6 (2015) 査読無し
3. 阿部知子、林依子、"重イオンビームを用いた品種改良技術の開発とサクラ新品種の育成"、FB News(放射線安全管理総合情報誌) 469, 2-6 (2015) 査読無し

飯田哲史（国立遺伝学研究所）

1. 飯田 哲史、"出芽酵母の鋳型 DNA 鎖修復機構"「二十一世紀の遺伝学」日本遺伝学会. (2014) 10 pp9

生田哲朗

1. Freeman R, Ikuta T (co-first author), Wu M, Koyanagi R, Kawashima T, Tagawa K, Humphreys T, Fang GC, Fujiyama A, Saiga H, Lowe C, Worley K, Jenkins J, Schmutz J, Kirschner M, Rokhsar D, Satoh N, Gerhart J. Identical genomic organization of two hemichordate hox clusters. Curr Biol 22 (2012) 2053-2058 査読有
2. Ikuta T, Chen YC, Annunziata R, Ting HC, Tung CH, Koyanagi R, Tagawa K, Humphreys T, Fujiyama A, Saiga H, Satoh N, Yu JK, Arnone MI, Su YH. Identification of an intact ParaHox cluster with temporal colinearity but altered spatial colinearity in the hemichordate Ptychodera flava. BMC Evol Biol 13 (2013) 129 査読有

石井敦士（福岡大学）

1. Sasaki M*, Ishii A*, Saito Y., Hirose S. Intermediate form between alternating hemiplegia of childhood and rapid-onset dystonia-parkinsonism. Mov Disord. 2014;29(1):153-154. *equal contribution
2. Heinzen E. L., Arzimanoglou A., Brashear A., Clapcote S. J., Gurrieri F., Goldstein D. B., Johannesson S. H., Mikati M. A., Neville B., Nicole S., Ozelius L. J., Poulsen H., Schyns T., Sweadner K. J., van den Maagdenberg A., Vilsen B., for the A. T. P. A. Working Group. Distinct neurological disorders with ATP1A3 mutations. Lancet Neurol. 2014;13(5):503-514.
3. Sasaki M*, Ishii A*, Saito Y., Morisada N., Iijima K., Takada S., Araki A., Tanabe Y., Arai H., Yamashita S., Ohashi T., Oda Y., Ichiseki H., Hirabayashi S., Yasuhara A., Kawawaki H., Kimura S., Shimono M., Narumiya S., Suzuki M., Yoshida T., Oyazato Y., Tsuneishi S., Ozasa S., Yokochi K., Dejima S., Akiyama T., Kishi N., Kira R., Ikeda T., Oguni H., Zhang B., Tsuji S., Hirose S. Genotype-phenotype correlations in alternating hemiplegia of childhood. Neurology. 2014;82(6):482-490. * equal contribution
4. Ishii A., Saito Y., Mitsui J., Ishiura H., Yoshimura J., Arai H., Yamashita S., Kimura S., Oguni H., Morishita S., Tsuji S., Sasaki M., Hirose S. Identification of *ATP1A3* mutations by exome sequencing as the cause of alternating hemiplegia of childhood in Japanese patients. PLOS ONE. 2013;8(2):e56120.

石川欽也（東京医科歯科大学）

1. Kokoro Ozaki, Hiroshi Doi, Jun Mitsui, Nozomu Sato, Yoichiro Iikuni, Takamasa Majima, Kiyomi Yamane, Takashi Irioka, Hiroyuki Ishiura, Koichiro Doi, Shinichi Morishita, Miwa Higashi, Teruhiko Sekiguchi, Kazuo Koyama, Naohisa Ueda, Yoshiharu Miura, Satoko Miyatake, Naomichi Matsumoto, Takanori Yokota, Fumiaki Tanaka, Shoji Tsuji, Hidehiro Mizusawa, Kinya Ishikawa. A Novel Mutation in ELOVL4 Leading to Spinocerebellar Ataxia (SCA) With the Hot Cross Bun Sign but Lacking Erythrokeratoderma: A Broadened Spectrum of SCA34. *JAMA Neurol.* 72(7): 797-805, (2015). 査読あり
2. Masato Obayashi, Giovanni Stevanin, Matthias Synofzik, Marie-Lorraine Monin, Charles Duyckaerts, Nozomu Sato, Nathalie Streichenberger, Alain Vighetto, Virginie Desestret, Christelle Tesson, H-Erich Wichmann, Thomas Illig, Johanna Huttenlocher, Yasushi Kita, Yuishin Izumi, Hidehiro Mizusawa, Ludger Schöls, Thomas Klopstock, Alexis Brice, Kinya Ishikawa, Alexandra Dürr. Spinocerebellar ataxia type 36 exists in diverse populations and can be caused by a short hexanucleotide GGCCTG repeat expansion. *J Neurol Neurosurg Psychiatry.* 86(9): 986-95, (2014). 査読あり

稲垣祐司（筑波大学）

1. Kamikawa R, Kolisko M, Nishimura Y, Yabuki A, Brown MW, Kim E, Tanabe AS, Kume K, Ishida K, Inagaki Y. Gene Content evolution in discobid mitochondria deduced from phylogenetic position and complete mitochondrial genome of *Tsukubamonas globosa*. ***Genome Biology and Evolution*** 6(2):306-315 (2014)

稲田利文（東北大学）

1. Tsuboi, T., Yamazaki, R., Nobuta, R., Ikeuchi, K., Makino, S., Ohtaki, Y., Suzuki, Y., Yoshihisa, T., Trotta, C. and Inada, T. The tRNA Splicing Endonuclease Complex Cleaves the Mitochondria-localized *CBP1* mRNA. *J Biol. Chem.* 290, 16021-16030. (2015)

井ノ上逸朗（国立遺伝学研究所）

1. Nakaoka H, Tajima A, Yoneyama T, Hosomichi K, Kasuya H, Mizutani T, Inoue I. Gene expression profiling reveals distinct molecular signatures associated with the rupture of intracranial aneurysm. *Stroke.* 2014; 45: 2239-2245.
2. 中岡博史、井ノ上逸朗：脳動脈瘤と遺伝子。Clinical Neuroscience 月刊 臨床神経科学 2011; 29: 1134-1137.
3. Hosomichi K, Mitsunaga S, Nagasaki H, Inoue I. A Bead-based Normalization for Uniform Sequencing depth (BeNUS) protocol for multi-samples sequencing exemplified by HLA-B. *BMC Genomics* 15, 465 (2014)
4. Jinam TA, Nakaoka H, Hosomichi K, Mitsunaga S, Okada H, Tanaka A, Tanaka K, Inoue I. HLA-DPB1*04:01 allele is associated with non-obstructive azoospermia in Japanese patients. *Hum Genet* 132, 1405-11 (2013), 査読有
5. Hosomichi K, Jinam TA, Mitsunaga S, Nakaoka H, Inoue I. Phase-defined complete sequencing of the HLA genes by next-generation sequencing. *BMC Genomics* 14, 355 (2013), 査読有

今村拓也（九州大学）

1. Masahiro Uesaka, Osamu Nishimura, Yasuhiro Go, Kinichi Nakashima, Kiyokazu Agata and Takuya Imamura. Bidirectional promoters are the major source of gene activation-associated non-coding RNAs in mammals. *BMC Genomics* 15: 35 (2014) 査読有

2. Nobuhiko Hamazaki, Masahiro Uesaka, Kinichi Nakashima, Kiyokazu Agata, Takuya Imamura. Gene activation-associated long noncoding RNAs function in mouse preimplantation development. *Development* 142:910 (2015). 査読有
3. Naoki Yamamoto, Kiyokazu Agata, Kinichi Nakashima, Takuya Imamura. Bidirectional promoters link cAMP signaling with irreversible differentiation through promoter-associated noncoding RNA(pancRNA) expression in PC12 cells. *Nucleic Acids Research*, in press. 査読有

岩間厚志（千葉大学）

1. Tanaka S, Miyagi S, Sashida G, Chiba T, Yuan J, Mochizuki-Kashio M, Suzuki Y, Sugano S, Nakaseko C, Yokote K, Koseki H, and Iwama A. Ezh2 augments leukemogenicity by reinforcing differentiation blockage in acute myeloid leukemia. **Blood**, 120, 1107-1117, 2012.
2. Muto T, Sashida G, Oshima M, Wendt GR, Mochizuki-Kashio M, Nagata Y, Sanada M, Miyagi S, Saraya A, Kamio A, Nagae G, Nakaseko C, Yokote K, Shimoda K, Koseki H, Suzuki Y, Sugano S, Aburatani H, Ogawa S, and Iwama A. Concurrent loss of *Ezh2* and *Tet2* cooperates in the pathogenesis of myelodysplastic disorders. **J Exp Med**, 210:2627-2639, 2013.
3. Miyagi S, Koide S, Saraya A, Wendt GR, Oshima M, Konuma T, Yamazaki S, Mochizuki-Kashio M, Nakajima-Takagi Y, Wang C, Chiba T, Kitabayashi I, Nakauchi H and Iwama A. The Tif1 β -Hsp1 system maintains transcriptional integrity of hematopoietic stem cells. **Stem Cell Reports** 2:145-152, 2014.
4. Mishima Y, Wang C, Miyagi S, Saraya A, Hosokawa H, Mochizuki-Kashio M, Nakajima-Takagi Y, Koide S, Negishi M, Sashida G, Naito T, Ishikura T, Onodera A, Nakayama T, Tenen DG, Yamaguchi N, Koseki H, Taniuchi I, and Iwama A. Histone acetylation mediated by Brd1/Brpf2 is crucial for *Cd8* gene activation during early thymocyte development. **Nat Commun** 5:5872, 2014.
5. Oshima M, Hasegawa N, Mochizuki-Kashio M, Muto T, Miyagi S, Koide S, Yabata S, Wendt G, Saraya A, Wang C, Shimoda K, Suzuki Y, Iwama A. Ezh2 regulates the Lin28/let-7 pathway to restrict activation of fetal gene signature in adult hematopoietic stem cells. **Exp Hematol** 2015 in press.

上田真由美（京都府立医科大学）

1. Ueta M, Sawai H, Sotozono C, Hitomi Y, Kaniwa N, Kim MK, Seo KY, Yoon KC, Joo CK, Kannabiran C, Wakamatsu TH, Sangwan V, Rathi V, Basu S, Ozeki T, Mushiroda T, Sugiyama E, Maekawa K, Nakamura R, Aihara M, Matsunaga K, Sekine A, Gomes JAP, Hamuro J, Saito Y, Kubo M, Kinoshita S, Tokunaga K. New Susceptibility Gene, *IKZF1*, for Cold Medicine-Related Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis with Severe Mucosal Involvements. *J Allergy Clin Immunol*. 2015 Jun;135(6):1538-1545.e17.

上村 匡（京都大学）

1. Kohei Shimono, Kazuto Fujishima, Takafumi Nomura, Masayoshi Ohashi, Tadao Usui, Mineko Kengaku, Atsushi Toyoda, and Tadashi Uemura. An evolutionarily conserved protein CHORD regulates scaling of dendritic arbors with body size. *Scientific Reports*, 4: 4415 (2014). 査読有り

牛田一成（京都府立大学）

1. Ushida K, Tsuchida S, Ogura Y, Toyoda A, Maruyama F. Domestication and cereal feeding developed domestic pig-type intestinal microbiota in animals of suidae. *Anim Sci J*. 2015 Aug

27. doi: 10.1111/asj.12492. 査読有

2. Tsuchida S, Nezu M, Tsukahara M, Ogura Y, Hayashi T, Ushida K. Draft Genome Sequence of *Lactobacillus gorillae* strain KZ01T, isolated from a western lowland gorilla. *Genome Announc.* 2015 Oct 15;3(5). pii: e01196-15. doi: 10.1128/genomeA.01196-15.

漆原秀子（筑波大学）

1. Araki Y, Shimizu HD, Saeki K, Okamoto M, Yamada L, Ishida K, Sawada H, Urushihara H. A surface glycoprotein indispensable for gamete fusion in the social amoeba *Dictyostelium discoideum*. *Eukaryot. Cell* 11 (2012) 638-644. 査読有
2. Mohri K, Kiyota Y, Kuwayama H, Urushihara H. Temporal and non-permanent division of labor during sorocarp formation in the social amoeba *Acytostelium subglobosum*. *Dev. Biol.* 375 (2013) 201-209. 査読有
3. Romeralo M, Skiba A, Gonzalez-Voyer A, Schilde C, Lawal H, Kedziora S, Cavender JC, Glöckner G, Urushihara H, Schaap P. Analysis of phenotypic evolution in Dictyostelia highlights developmental plasticity as a likely consequence of colonial multicellularity. *Proc. Biol. Sci.* 280 (2013) 20120976. 査読有
4. Mohri K, Hata T, Kikuchi H, Oshima Y, Urushihara H. Defects in the synthetic pathway prevent DIF-1 mediated stalk lineage specification cascade in the non-differentiating social amoeba, *Acytostelium subglobosum*. *Biol. Open* 3 (2014) 553-560. 査読有
5. Kuwayama H, Tohyama T, Urushihara H. Cross-species functional complementation of cellulose synthase during the development of cellular slime molds. *Dev. Growth Differ.* 56 (2014) 526-533. 査読有
6. Urushihara H, Kuwayama H, Fukuhara K, Itoh T, Kagoshima H, Shin-I T, Toyoda A, Ohishi K, Taniguchi T, Noguchi H, Kuroki Y, Hata T, Uchi K, Mohri K, King JS, Insall RH, Kohara Y, Fujiyama A. Comparative genome and transcriptome analyses of the social amoeba *Acytostelium subglobosum* that accomplishes multicellular development without germ-soma differentiation. *BMC Genomics* 16 (2015) 80. 査読有
7. Sheikh S, Gloeckner G, Kuwayama H, Schaap P, Urushihara H, Baldauf SL. Root of Dictyostelia based on 213 universal proteins. *Mol. Phylogenet. Evol.* 92 (2015) 53-62. 査読有

江澤辰広（北海道大学）

1. 江澤辰広, 第二, 第三次技術革新が開くアーバスキュラー菌根共生研究 -栄養共生機構・生態・ビジネス展望-, 日本土壤肥料学雑誌 (印刷中) (査読無)

太田邦史（東京大学）

1. Oda A., Takemata N., Hirata Y., Miyoshi T., Suzuki Y., Sugano S., Ohta K.. "Dynamic transition of transcription and chromatin landscape during fission yeast adaptation to glucose starvation." *Genes to Cells*. 20(2015)392-407 査読有
2. Galipon J., Miki A., Oda A., Inada T., and Ohta K.. "Stress-induced lncRNAs evade nuclear degradation and enter the translational machinery", *Genes to Cells* 18(2013)353-368 査読有
3. Miyoshi T., Ito M., Kugou K., Yamada S., Furuichi M., Oda A., Yamada T., Hirota K., Masai H., & Ohta K.. "A central coupler for recombination initiation linking chromosome architecture to S phase checkpoint" *Molecular Cell* 47(2012)1-12 査読有
4. 太田邦史、久郷和人、山田真太郎、小田有沙 実験医学 30: 2209-2214 「非次世代シーケンサーによる非コード DNA 配列解析」 (2012) 6
5. 太田邦史、小田有沙、Josephine Galipon、竹俣直道、三好知一郎、廣田耕志 実験医学 29: 1722-1727 「長鎖 ncRNA によるクロマチン・転写活性化の制御」 (2011) 6

岡崎 伸 (東京農工大学)

1. Okazaki S, Noisangiam R, Okubo T, Kaneko T, Oshima K, Hattori M, Teamtisong K, Songwattana P, Tittabutr P, Boonkerd N, Saeki K, Sato S, Uchiumi T, Minamisawa K, *Teaumroong N. Genome analysis of a novel Bradyrhizobium sp. DOA9 carrying a symbiotic plasmid. PLOS ONE doi:10.1371/journal.pone.0117392. (2015) (査読あり)

岡田典弘 (東京工業大学)

1. Higasa K, Nikaido M, Saito TL, Yoshimura J, Suzuki Y, Suzuki H, Nishihara H, Aibara M, Ngatunga BP, Kalombo HWJ, Sugano S, Morishita S, Okada N. (2012) Extremely slow rate of evolution in the HOX cluster revealed by comparison between Tanzanian and Indonesian coelacanths. *GENE* 505:324–332. (査読有)
2. Nikaido M, Noguchi H, Nishihara H, Toyoda A, Suzuki Y, Kajitani R, Suzuki H, Okuno M, Aibara M, Ngatunga BP, Mzighani SI, Kalombo HW, Masengi KW, Tuda J, Nogami S, Maeda R, Iwata M, Abe Y, Fujimura K, Okabe M, Amano T, Maeno A, Shiroishi T, Itoh T, Sugano S, Kohara Y, Fujiyama A, Okada N. (2013) Coelacanth genomes reveal signatures for evolutionary transition from water to land. *Genome Res.* 23:1740-1748. (査読有)
3. Iwasaki Y, Abe T, Okada N, Wada K, Wada Y, Ikemura T. (2014) Evolutionary changes in vertebrate genome signatures with special focus on coelacanth. *DNA Res.* 21:459-467. (査読有)
4. 二階堂雅人、岡田典弘 (2014) シーラカンスゲノム進化：進化速度・嗅覚・前適応『生物の科学遺産』 Vol. 68. pp. 256-260.
5. 二階堂雅人、岡田典弘 (2014) シーラカンスのもう一つの繁殖地：タンザニア『生物の科学遺産』 Vol. 68. pp. 210-214.
6. 二階堂雅人、岡田典弘 (2014) 「シーラカンスゲノム中に隠されていた脊椎動物陸上化のカギ」『バイオサイエンスとバイオインダストリー (財) バイオインダストリー協会』 Vol. 72. pp. 134-136.

小野寺淳 (千葉大学)

1. Onodera A, Tumes DJ, Watanabe Y, Hirahara K, Kaneda A, Sugiyama F, Suzuki Y, Nakayama T. Spatial Interplay between Polycomb and Trithorax Complexes Controls Transcriptional Activity in T Lymphocytes. *Mol Cell Biol.* 35(22):3841-53 (2015). 査読有り
2. Onodera A, Nakayama T. Epigenetics of T cells regulated by Polycomb/Trithorax molecules. *Trends Mol Med.* 21(5):330-40 (2015). 査読有り
3. Sasaki T, Onodera A, Hosokawa H, Watanabe Y, Horiuchi S, Yamashita J., Tanaka H, Ogawa Y., Suzuki Y, Nakayama T.: Genome-Wide Gene Expression Profiling Revealed a Critical Role for GATA3 in the Maintenance of the Th2 Cell Identity. *PLoS One.* 8(6):e66468 (2013). 査読有り
4. Tumes DJ, Onodera A, Suzuki A, Shinoda K, Endo Y, Iwamura C, Hosokawa H, Koseki H, Tokoyoda K, Suzuki Y, Motohashi S, Nakayama T.: The polycomb protein Ezh2 regulates differentiation and plasticity of CD4(+) T helper type 1 and type 2 cells. *Immunity.* 14;39(5):819-32 (2013). 査読有り
5. Hosokawa H, Tanaka T., Suzuki Y, Iwamura C., Ohkubo S., Endoh K., Kato M., Endo Y., Onodera A, Tumes DJ., Kanai A., Sugano S, Nakayama T.: Functionally distinct Gata3/Chd4 complexes coordinately establish T helper 2 (Th2) cell identity. *Proc Natl Acad Sci U S A.* 110(12):4691-6 (2013). 査読有り
6. Horiuchi S., Onodera A, Hosokawa H., Watanabe Y., Tanaka T., Sugano S, Suzuki Y, and Nakayama T.: Genome-wide analysis reveals unique regulation of transcription of Th2-specific genes by GATA3. *J. Immunol.* 186:6378-6389 (2011). 査読有り

小野寺康之（北海道大学）

1. K. Yamamoto, Y. Oda, A. Haseda, S. Fujito, T. Mikami and Y. Onodera, Molecular evidence that the genes for dioecism and monoecism in *Spinacia oleracea* L. are located at different loci in a chromosomal region. *Heredity*, 112(3), 317-324, 2014 査読有
2. Fujito S, Takahata S, Suzuki R, Hoshino Y, Ohmido N, Onodera Y., Evidence for a Common Origin of Homomorphic and Heteromorphic Sex Chromosomes in Distinct *Spinacia* Species. (2015) *G3*, 5(8):1663-73

小野竜一（東京医科歯科大学）

1. Ono R., Kuroki Y., Naruse M., Ishii M., Iwasaki S., Toyoda A., Fujiyama A., Shaw G., Renfree MB., Kaneko-Ishino T., Ishino F. Identification of tammar wallaby *SIRH12*, derived from a marsupial-specific retrotransposition event. ***DNA Research*** 18(4):211-9 (2011) (査読有)

風間裕介（理化学研究所）

1. Ishii K, Nishiyama R, Shibata F, Kazama Y., Abe T, and Kawano S. Rapid degeneration of noncoding DNA regions surrounding SIAP3X/Y after recombination suppression in a dioecious plant, *Silene latifolia*. *G3: Genes, Genomes, Genetics* 2013, 3: 2121-2130. 査読有
2. Kazama Y., Ishii K, Aonuma W, Ikeda T, Kawamoto H, Koizumi A, Filatov DA, Chibalina M, Bergero R, Charlesworth D, Abe T, and Kawano S. A new physical mapping approach refines the sex-determining gene positions on the *Silene latifolia* Y-chromosome. *Scientific Reports* 2016 6:18917. 査読有

鎌形洋一（産業技術総合研究所）

1. Takeuchi M., Katayama T., Yamagishi T., Hanada S., Tamaki H., Kamagata Y., Oshima K., Hattori M., Marumo K., Nedachi M., Maeda H., Suwa Y., Sakata S. *Methyloceanibacter caenitepidus* gen. nov., sp. nov., a facultatively methylotrophic bacterium isolated from marine sediments near a hydrothermal vent. *Int. J. Syst. Evol. Microbiol.* **64**: 462-468 (2013). *Peer-reviewed article.*
2. Takeuchi M., Kamagata Y., Oshima K., Hanada S., Tamaki H., Marumo K., Maeda H., Nedachi M., Hattori M., Iwasaki W., Sakata S. *Methylocaldum marinum* sp. nov., a thermotolerant methane-oxidizing bacterium isolated from marine sediments, and emended description of the genus *Methylocaldum*. *Int. J. Syst. Evol. Microbiol.* **64**: 3240-3246 (2014). *Peer-reviewed article.*
3. Takeuchi M., Yamagishi T., Kamagata Y., Oshima K., Hattori M., Katayama T., Hanada S., Tamaki H., Marumo K., Maeda H., Nedachi M., Iwasaki W., Suwa Y., Sakata S. 2015. *Tepidicaulis marinum* gen. nov., sp. nov., a novel marine bacterium denitrifying nitrate to nitrous oxide strictly under microaerobic conditions. *Int. J. Syst. Evol. Microbiol.* **65**: 1749-1754 (2015). *Peer-reviewed article.*

川口正代司（基礎生物学研究所）

1. Handa, Y., Nishide, H., Takeda, N., Suzuki Y., Kawaguchi M., Saito, K. RNA-seq transcriptional profiling of an arbuscular mycorrhiza provides insights into regulated and coordinated gene expression in *Lotus japonicus* and *Rhizophagus irregularis*. *Plant and Cell Physiology*. 56, (2015) 1490-1511. 査読有

河野重行（東京大学）

1. Yamazaki, T., Suzuki, R., Ichihara, K., Shimizu, Y., Oshima, K., Miyamura, S., Kuwano, K., Toyoda, A., Suzuki, Y., Sugano, S., Hattori, M., Kawano, S.: Evolution of the primeval mating-type locus in an order with an isomorphic haploid-diploid life cycle and isogamy. *PLOS Genetics in revision* (2016) 査読有り
2. Suzuki, R., Ota, S., Yamazaki, T., Toyoda, A., Nonaka, S., Matsukura, C., Kuwano, K., Kawano, S.: Morphological changes of giant mitochondria in the unicellular to multicellular phase during parthenogenesis of *Ulva partita* (Ulvophyceae) revealed by expression of mitochondria targeting GFP and PEG transformation. *Phycol. Res.* 64, *in revision* (2016) 査読有り
3. Ichihara, K., Suzuki, R., Yamazaki, T., Ota, S., Mogi, Y., Kagami, Y., Kuwano, K., Kawano, S.: *Ulva partita* sp. nov., a novel *Enteromorpha*-Like *Ulva* Species from Japanese coastal areas. *Cytologia* 261-270 (2015) 査読有り
4. Yamazaki, T., Endo, M., Ito, K., Suzuki, R., Ota, S., Kuwano, K., Miyamura, S., Toyoda, A. and Kawano, S.: HAP2/GCS1 is involved in the sexual reproduction system of the marine macroalga *Ulva compressa*. *Cytologia* 79, 575-584 (2014). 査読有り
5. Suzuki, R., Yamazaki, T., Toyoda, A. and Kawano, S.: Technical note: A Transformation system using rbcS N-terminal region fused with GFP demonstrates pyrenoid targeting of the small subunit of RubisCO in *Ulva compressa*. *Cytologia* 79, 427-428 (2014). 査読有り
6. 河野重行・大田修平：生殖様式の多様性とその起源、科学、84、779-783（2014）

河原行郎（大阪大学）

1. Li Q, Uemura Y, Kawahara Y. Cross-Linking and Immunoprecipitation of Nuclear RNA-Binding Proteins. *Methods in Molecular Biology*, 1262; 247-263, 2015. 査読有
2. Yokoshi M, Li Q, Yamamoto M, Okada H, Suzuki Y., Kawahara Y. Direct Binding of Ataxin-2 to Distinct Elements in 3' UTRs Promotes mRNA Stability and Protein Expression. *Molecular Cell.* 17;55(2):186-198 (2014). 査読有
3. 余越 萌, 河原 行郎. 神経変性疾患関連タンパク質 Ataxin-2 は3'非翻訳領域にある特定の配列に直接結合することによって、mRNA の安定性を促進しタンパク質発現を増加させる、新着論文レビュー, e9044 (2014). 査読無

河村正二（東京大学）

1. Tezuka, A., Kasagi, S., van Oosterhout, C., McMullan, M., Iwasaki, W. M., Kasai, D., Yamamichi, M., Innan, H., *Kawamura, S. and *Kawata, M. (2014). Divergent selection for opsin gene variation in guppy (*Poecilia reticulata*) populations of Trinidad and Tobago. *Heredity*, 113: 381-389. 査読有 *Corresponding author
2. Matsumoto, Y., Hiramatsu, C., Matsushita, Y., Ozawa, N., Ashino, R., Nakata, M., Kasagi, S., Di Fiore, A. Schaffner, C. M., Aureli, F., Melin, A. D. and *Kawamura, S. (2014). Evolutionary renovation of L/M opsin polymorphism confers a fruit discrimination advantage to ateline New World monkeys. *Molecular Ecology*, 23: 1799-1812. 査読有
3. Matsushita, Y., Oota, H., Welker, B. J., Pavelka, M. S. and *Kawamura, S. (2014). Color vision variation as evidenced by hybrid L/M opsin genes in wild populations of trichromatic *Alouatta* New World monkeys. *International Journal of Primatology*, 35: 71-87. 査読有
4. *Melin, A. D., Matsushita, Y., Moritz, G. L., Dominy, N. J. and *Kawamura, S. (2013). Inferred L/M cone opsin polymorphism of ancestral tarsiers sheds dim light on the origin of anthropoid primates. *Proceedings of the Royal Society B*, 280: 20130189. 査読有
5. 河村正二 (2012). 視覚センサー遺伝子の適応と進化多様性：魚類から霊長類まで。化学と生物, 50: 325-336. 査読無
6. Hiwatashi, T., Mikami, A., Katsumura, T., Suryobroto, B., Perwitasari-Farajallah, D.,

Malaivijitnond, S., Siriaronrat, B., Oota, H., Goto, S. and *Kawamura, S. (2011). Gene conversion and purifying selection shape nucleotide variation in gibbon L/M opsin genes. *BMC Evolutionary Biology*, 11: 312. 査読有

岸本健雄（お茶の水女子大学）

1. Morino, Y., Koga, H., Tachibana K., Shoguchi, E., Kiyomoto, M., and Wada, H. Heterochronic activation of VEGF signaling and the evolution of the skeleton in Echinoderm pluteus larvae. *Evolution and Development* 14 (2012), 428-436. 査読有

北野 潤（国立遺伝学研究所）

1. Yoshida, K., Makino, T., Yamaguchi, K., Shigenobu, S., Hasebe, M., Kawata, M., Kume, M., Mori, S., Peichel, C. L., Toyoda, A., Fujiyama, A., and Kitano, J. (2014) Sex chromosome turnover contributes to genomic divergence between incipient stickleback species. *PLoS Genetics* 10: e1004223 (査読有)
2. Kitano, J., Yoshida, K., and Suzuki, Y. (2013) RNA sequencing reveals small RNAs differentially expressed between incipient Japanese threespine sticklebacks. *BMC Genomics* 14(1):214 (査読有)
3. 北野 潤 (2014) トゲウオの種分化はどのように起こるのか？ 細胞工学 Vol.33, No. 7 p.770-773

木村亮介（琉球大学）

1. Saw, W.Y., X. Liu, C.C. Khor, F. Takeuchi, T. Katsuya, R. Kimura, T. Nabika, T. Ohkubo, Y. Tabara, K. Yamamoto, M. Yokota, Japanese Genome Variation Consortium, Y.Y. Teo, and N. Kato (2015) Mapping the genetic diversity of HLA haplotypes in the Japanese populations. *Scientific Reports* 5: 17855. 査読有
2. Nakagome, S., T. Sato, H. Ishida, T. Hanihara, T. Yamaguchi, R. Kimura, S. Mano, H. Oota, and The Asian DNA Repository Consortium (2015) Model-Based Verification of Hypotheses on the Origin of Modern Japanese Revisited by Bayesian Inference Based on Genome-Wide SNP Data. *Molecular Biology and Evolution* 32: 1533-1543. 査読有
3. Sato, T., S. Nakagome, C. Watanabe, K. Yamaguchi, A. Kawaguchi, K. Koganebuchi, K. Haneji, T. Yamaguchi, T. Hanihara, K. Yamamoto, H. Ishida, S. Mano, R. Kimura, and H. Oota (2014) Genome-wide SNP analysis reveals population structure and demographic history of the Ryukyu Islanders in the southern part of the Japanese Archipelago. *Molecular Biology and Evolution* 31: 2929-2940. 査読有

工藤 洋（京都大学）

1. Nishio H, Buzas DM, Nagano AJ, Suzuki Y, Sugano S, Ito M, Morinaga S, Kudoh H. From the laboratory to the field: assaying histone methylation at *FLOWERING LOCUS C* in naturally growing *Arabidopsis halleri*. *Genes & Genetic Systems* (in press). 査読有

國枝武和（東京大学）

1. Tanaka, S., Tanaka, J., Miwa, Y., Horikawa, D., D., Katayama, T., Arakawa, K., Toyoda, A., Kubo, T., and, Kunieda, T. Novel mitochondria-targeted heat-soluble proteins identified in the anhydrobiotic tardigrade improve osmotic tolerance of human cells. *PLoS ONE* 10, (2015), e0118272. (査読あり)
2. Yamaguchi, A., Tanaka, S., Yamaguchi, S., Kuwahara, H., Takamura, C., Imajoh-Ohmi, S.,

Horikawa, D. D., Toyoda, A., Katayama, T., Arakawa, K., Fujiyama, A., Kubo, T. and Kunieda, T. Two Novel Heat-Soluble Protein Families Abundantly Expressed in an Anhydrobiotic Tardigrade. *PLoS ONE* 7, (2012). e44209. (査読あり)

久原篤 (甲南大学)

1. Ohta A., Ujisawa T., Sonoda S., Kuhara A. Light and pheromone-sensing neurons regulates cold habituation through insulin signalling in *Caenorhabditis elegans*. *Nature commun*, 5, 4412, 1-12 2014 査読有

久保田健夫 (山梨大学)

1. Miyake K, Yang C, Minakuchi Y, Ohori K, Soutome M, Hirasawa T, Kazuki Y, Adachi N, Suzuki S, Itoh M, Goto Y, Andoh T, Kurosawa H, Akamatsu W, Oyama M, Okano H, Oshimura M, Sasaki M, Toyoda A., Kubota T. Comparison of genomic and epigenomic expression in monozygotic twins discordant for Rett syndrome. *PLoS ONE* 8:e66729, 2013. 査読有.
2. Kubota T, Miyake K, Hariya M, Mochizuki K. Epigenetics as a basis for diagnosis of neurodevelopmental disorders: challenges and opportunities. *Expert Rev Mol Diagn* 14(6):685-697, 2014. 査読有.

倉橋浩樹 (藤田保健衛生大学)

1. Kato T, Inagaki H, Tong M, Kogo H, Ohye T, Yamada K, Tsutsumi M, Emanuel BS, Kurahashi H. DNA secondary structure is influenced by genetic variation and alters susceptibility to *de novo* translocation. *Mol Cytogenet* 4, 18, 2011. (査読有)
2. Kato T, Kurahashi H., Emanuel BS. Chromosomal translocations and palindromic AT-rich repeats. *Curr Opin Genet Dev* 22(3), 221-228, 2012. (査読有)
3. Inagaki H, Ohye T, Kogo H, Tsutsumi M, Kato T, Tong M, Emanuel BS, Kurahashi H. Two sequential cleavage reactions on cruciform DNA structures cause palindrome-mediated chromosomal translocations. *Nat Commun* 4, 1592, 2013. (査読有)
4. Mishra D, Kato T, Inagaki H, Kosho T, Wakui K, Kido Y, Sakazume S, Taniguchi-Ikeda M, Morisada N, Iijima K, Fukushima Y, Emanuel BS, Kurahashi H. Breakpoint analysis of the recurrent constitutional t(8;22)(q24.13;q11.21) translocation. *Mol Cytogenet*, 7, 55, 2014. (査読有)

河内孝之 (京都大学)

1. Ishizaki, K., Nonomura, M., Kato, H., Yamato, K. T., and Kohchi, T. Visualization of auxin-mediated transcriptional activation using a common auxin-responsive reporter system in the liverwort *Marchantia polymorpha*. *J. Plant Res.* **125**, 643-651 (2012). 査読有
2. Ishizaki, K., Johzuka-Hisatomi, Y., Ishida, S., Iida, S., and Kohchi, T. Homologous recombination-mediated gene targeting in the liverwort *Marchantia polymorpha* L. *Sci. Rep.*, **13**, 1532 DOI: 10.1038/srep01532 (2013).
3. Ishizaki, K., Mizutani, M., Shimamura, M., Masuda, A., Nishihama, R., and Kohchi, T. Essential role of the E3 ubiquitin ligase NOPPERABO1 in schizogenous intercellular space formation in the liverwort *Marchantia polymorpha*, *Plant Cell*, **25**, 4075-4084 (2013). 査読有
4. Kubota, A., Kita, S., Ishizaki, K., Nishihama, R., Yamato, K. T. and Kohchi, T. Co-option of a photoperiodic growth-phase transition system during land plant evolution, *Nature Comm.*, **5**, 3668 (2014). 査読有
5. Komatsu, A., Terai, M., Ishizaki, K., Suetsugu, N., Tsuboi, H., Nishihama, R., Yamato, K. T., Wada, M., and Kohchi, T. Phototropin encoded by a single-copy gene mediates chloroplast

photorelocation movements in the liverwort *Marchantia polymorpha* L., *Plant Physiol.*, **166**, 411-427 (2014). 査読有

6. Kato, H., Ishizaki, K., Kouno, M., Shirakawa, M., Bowman, J. L., Nishihama, R., and Kohchi, T. Auxin-mediated transcriptional system with a minimal set of components is critical for morphogenesis through the life cycle in *Marchantia polymorpha*, *PLOS Genet.*, **11**, e1005084 (2015). 査読有
7. Ishizaki, K., Nishihama, R., Yamato, K. T., and Kohchi, T. Molecular genetic tools and techniques for *Marchantia polymorpha* research *Plant Cell Physiol.*, in press (2015) 査読有
8. Bowman, J. L., Araki, T., Arteaga-Vazquez, M. A., Berger, F., Dolan, L., Haseloff, J., Ishizaki, K., Kyozuka, J., Lin, S., Nagasaki, H., Nakagami, H., Nakajima, K., Nakamura, Y., Ohashi-Ito, K., Sawa, S., Shimamura, M., Solano, R., Tsukaya, H., Ueda, T., Watanabe, Y., Yamato, K. T., Zachgo, S. and Kohchi, T. The naming of names: guidelines for gene nomenclature in *Marchantia*. *Plant Cell Physiol.* in press (2015) 査読有

河野友宏（東京農業大学）

1. Kobayashi H, Sakurai T, Imai M, Takahashi N, Fukuda A, Yayoi O, Sato S, Nakabayashi K, Hata K, Sotomaru Y, Suzuki Y, Kono T, Contribution of intragenic DNA methylation in mouse gametic DNA methylomes to establish oocyte-specific heritable marks, *PLoS Genetics* 8(1), (2012), e1002440、査読有
2. Kobayashi H, Sakurai T, Sato S, Nakabayashi K, Hata K, Kono T, Imprinted DNA methylation reprogramming during early mouse embryogenesis at the Gpr1-Zdbf2 locus is linked to long cis-intergenic transcription, *FEBS Letters* 586(6), (2012), 827-33、査読有
3. Kobayashi H, Sakurai T, Miura F, Imai M, Mochiduki K, Yanagisawa E, Sakashita A, Wakai T, Suzuki Y, Ito T, Matsui Y, Kono T, High-resolution DNA methylome analysis of primordial germ cells identifies gender-specific reprogramming in mice, *Genome Research* 23(4), 2013, 616-27、査読有

郷 康広（自然科学研究機構）

1. Uesaka M, Nishimura O, Go Y, Nakashima K, Agata K, Imamura T. (2014) Bidirectional promoters are the major source of gene activation-associated non-coding RNAs in mammals. *BMC Genomics* 15:35. (査読有)

後藤由季子（東京大学）

1. Hirabayashi, Y. and Gotoh, Y. Epigenetic control of neural precursor cell fate during development. **Nat. Rev. Neurosci.** 11, 377-388, 2010. 査読あり
2. Kishi, Y., Fujii, Y., Hirabayashi, Y. and Gotoh, Y. HMGA proteins regulate global chromatin state and the neurogenic potential in neocortical precursor cells. **Nat. Neurosci.** 15, 1127-1133, 2012. 査読あり
3. Tyssowski, K., Kishi, Y. and Gotoh, Y. Chromatin regulators of neural development **Neuroscience** 264, 4-16 2013. 査読あり
4. Fujii, Y., Kishi, Y. and Gotoh, Y. IMP2 regulates differentiation potentials of mouse neocortical neural precursor cells. **Genes Cells.** 18, 79-89, 2013. 査読あり
5. Morimoto-Suzuki, N., Hirabayashi, Y., Tyssowski, K., Shinga, J., Vidal, M., Koseki, H., and Gotoh, Y. The polycomb component Ring 1B regulates the timed termination of subcortical projection neuron production during neocortical development. **Development.** 141:4343-4353, 2014 査読あり

権藤洋一（理化学研究所）

1. Gondo, Y. Experimental population genetics based on de novo mutation discovery by NGS. Genes and Genetic Systems 89(6): 285 (2014). 査読無し

佐伯和彦（奈良女子大学）

1. Kasai-Maita H, Hirakawa H, Nakamura Y, Kaneko T, Miki K, Maruya J, Okazaki S, Tabata S, Saeki K, Sato S. "Commonalities and differences among symbiosis islands of three *Mesorhizobium loti* strains" Microbes and Environments 28(2): 275-278 (2013)

坂山英俊（神戸大学）

1. Sato, M., Sakayama, H., Sato, M., Ito, M. and Sekimoto, H. Characterization of sexual reproductive processes in *Chara braunii* (Charales, Charophyceae). Phycological Research 62: 214–221 (2014). （査読有り）
DOI: 10.1111/pre.12056
2. Hackenberg, D., Sakayama, H., Nishiyama, T. and Pandey, S. Characterization of heterotrimeric G-protein complex and its regulator from the green alga *Chara braunii* expands the evolutionarily breadth of plant G-protein signaling. Plant Physiology 163: 1510–1517 (2013). （査読有り）
DOI: <http://dx.doi.org/10.1104/pp.113.230425>
3. Hoepflinger, M. C., Geretschlaeger, A., Sommer, A., Hoeffberger, M., Nishiyama, T., Sakayama, H., Hammerl, P., Tenhaken, R., Ueda, T. and Foissner, I. Molecular and biochemical analysis of the first ARA6 homologue, a RAB5 GTPase, from green algae. Journal of Experimental Botany 64: 5553–5568 (2013). （査読有り）
DOI: 10.1093/jxb/ert322
4. Yang, Y., Maruyama, S., Sekimoto, H., Sakayama, H. and Nozaki, H. An extended phylogenetic analysis reveals ancient origin of “non-green” phosphoribulokinase genes from two lineages of “green” secondary photosynthetic eukaryotes: Euglenophyta and Chlorarachniophyta. BMC Research Notes 4:330 (2011). （査読有り）
DOI: 10.1186/1756-0500-4-330
5. Kato, S., Misawa, K., Takahashi, F., Sakayama, H., Sano, S., Kosuge, K., Kasai, F., Watanabe, M. M., Tanaka, J. and Nozaki, H. Aquatic plant speciation affected by diversifying selection of organelle DNA regions. Journal of Phycology 47: 999–1008 (2011). （査読有り）
DOI: 10.1111/j.1529-8817.2011.01037.x
6. 坂山英俊. 植物の上陸作戦＝シャジクモの辿った道. BSJ-Review 1: 30-35 (2010). （査読無し） <http://bsj.or.jp/frontier/BSJreview2010A7.pdf>

佐々木えりか（実験動物中央研究所）

1. Sato K, Kuroki Y, Kumita W, Fujiyama A, Toyoda A, Kawai J, Iriki A, Sasaki E, Okano H, Sakakibara Y., Scientific Reports, 5, 2015, DOI: 16894-16901, 査読有り

佐藤文彦（京都大学）

1. 佐藤文彦 新しいモデル植物：ポストゲノム時代の研究材料 植物の生長調節 50(2), 2015, 93–95 査読有

澤進一郎（熊本大学）

1. Yasuka, Y., Ishida, T., and Sawa, S. (2016) CLE peptides and their signaling pathways in plant development. J. Exp. Bot. In press.
2. Motomitsu, A., Sawa, S., and Ishida, T. (2015) Plant peptide hormone signaling. Essays in Biochem. In press.
3. Shimizu, N., Ishida, T., Yamada, M., Shigenobu, S., Tabata, R., Kinoshita, A., Yamaguchi, K., Hasebe, M., Mitsumasu, K., and Sawa, S. (2015) BAM 1 and RECEPTOR-LIKE PROTEIN KINASE 2 constitute a signaling pathway and modulate CLE peptide triggered growth inhibition in Arabidopsis root. New Phytologists 208.1104-1113
4. Kinoshita, A., Seo, M., Kamiya, Y., and Sawa, S. (2015) Mystery in genetics: PUB4 gives a clue to the complex mechanism of CLV signaling pathway in the shoot apical meristem Plant Signaling & Behavior. 10:6, e1028707
5. Kinoshita, A., Hove, C.A., Tabata, R., Yamada, M., Shimizu, N., Ishida, T., Yamaguchi K., Shigenobu, S., Takebayashi, Y., Iuchi, S., Kobayashi, M., Kurata, T., Wada, T., Seo, M., Hasebe, M., Bilou, I., Fukuda, H., Scheres, B., Heidstra, R., and Sawa, S. (2015) A plant U-box protein, PUB4, regulates asymmetric cell division and cell proliferation in the root meristem. Development 142., 444-453.
6. Ishida, T., Tabata, R., Yamada, M., Aida, M., Mitsumasu, K., Fujiwara, M., Yamaguchi, K., Shigenobu, S., Higuchi, M., Tsuji, H., Shimamoto, K., Hasebe, M., Fukuda, H., and Sawa, S. (2014) Heterotrimeric G proteins control stem cell proliferation through CLAVATA signaling in *Arabidopsis*. EMBO rep. In Press.
7. Tabata, R. and Sawa, S. Maturation processes and structures of secreted peptides in plants. (2014) Frontiers in Plant Science 04 July; doi: 10.3389/fpls.2014.00311.
8. Miyawaki, K., Tabata, R., and Sawa, S. (2013) Evolutionarily conserved CLE peptide signaling in plant development, symbiosis, and parasitism. Curr. Opin. Plant Biol. 16.598- 606.
9. Yamada, M., and Sawa, S. (2013) The function of CLE and other plant peptide hormones in root development. Curr. Opin. Plant Biol. 16. 1-6.
10. Tabata, R., Kamiya, T., Shigenobu S., Yamaguchi K., Yamada, M., Hasebe, M., Fujiwara, T., and Sawa, S. (2013) Identification of an EMS-induced causal mutation in a gene required for boron-mediated root development by low-coverage genome re-sequencing in Arabidopsis. Plant Signaling & Behavior. 8. e22534
11. 光増可奈子, 西山英孝, 中上知, 金丸由実, 澤進一郎 (2015) 細胞外空間 (細胞壁) に注目した植物寄生性線虫の感染分子機構、日本農薬学会誌 in press.
12. 澤進一郎 (2013) ペプチドホルモンによる植物幹細胞活性制御と線虫感染 Pure Science 8. pp6

澤辺智雄 (北海道大学)

1. Tomoo Sawabe, Yoshitoshi Ogura, Yuta Matsumura, Feng Gao, AKM R. Amin, Sayaka Mino, Satoshi Nakagawa, Toko Sawabe, Ramesh Kumar, Yohei Fukui, Masataka Satomi, Ryoji Matsushima, Fabiano L. Thompson, Bruno Gomez-Gil, Richard Christen, Fumito Maruyama, Ken Kurokawa and Tetsuya Hayashi. 2013. Updating the *Vibrio* Clades Defined by Multilocus Sequence Phylogeny: Proposal of Eight New Clades, and the Description of *Vibrio tritonius* sp. nov. Front. Microbiol. doi: 10.3389/fmicb.2013.00414. 査読有.
2. Yuta Matsumura, Hidayu Al-saari, Sayaka Mino, Satoshi Nakagawa, Fumito Maruyama, Yoshitoshi Ogura, Tetsuya Hayashi, Ken Kurokawa, Toko Sawabe, Tomoo Sawabe. 2015. Identification of a gene cluster responsible for hydrogen evolution in *Vibrio tritonius* strain AM2 with transcriptional analyses. Int. J. Hydrogen Energy 40, 9137-9146. 査読有

椎名 隆 (東海大学)

1. Shiina T., Kono A, Westphal N, Suzuki S, Hosomichi K, Kita YF, Roos C, Inoko H, Walter L.

- Comparative genome analysis of the major histocompatibility complex (MHC) class I B/C segments in primates elucidated by genomic sequencing in common marmoset (*Callithrix jacchus*). *Immunogenetics* 63: 485-499, 2011. 査読有
2. Arikata M, Itoh Y, Okamatsu M, Maeda T, [Shiina T](#), Tanaka K, Suzuki S, Nakayama M, Sakoda Y, Ishigaki H, Takada A, Ishida H, Soda K, Pham VL, Tsuchiya H, Nakamura S, Torii R, Shimizu T, Inoko H, Ohkubo I, Kida H, Ogasawara K. Memory immune responses against pandemic (H1N1) 2009 influenza virus induced by a whole particle vaccine in cynomolgus monkeys carrying Mafa-A1*052:02. *PLoS One* 7: e37220, 2012. 査読有
 3. Blancher A, Aarnink A, Tanaka K, Ota M, Inoko H, Yamanaka H, Nakagawa H, Apoil PA, [Shiina T](#). Study of cynomolgus monkey (*Macaca fascicularis*) Mhc DRB gene polymorphism in four populations. *Immunogenetics* 64: 605-614, 2012. 査読有
 4. de Groot NG, Otting N, Robinson J, Blancher A, Lafont BA, Marsh SG, O'Connor DH, [Shiina T](#), Walter L, Watkins DI, Bontrop RE. Nomenclature report on the major histocompatibility complex genes and alleles of Great Ape, Old and New World monkey species. *Immunogenetics* 64: 615-631, 2012. 査読有
 5. [Shiina T](#), Suzuki S, Ozaki Y, Taira H, Kikkawa E, Shigenari A, Oka A, Umemura T, Joshita S, Takahashi O, Hayashi Y, Paumen M, Katsuyama Y, Mitsunaga S, Ota M, Kulski JK, Inoko H. Super high resolution for single molecule-sequence-based typing of classical HLA loci at the 8-digit level using next generation sequencers. *Tissue Antigens* 80: 305-316, 2012. 査読有
 6. Morizane A, Doi D, Kikuchi T, Okita K, Hotta A, Kawasaki T, Hayashi T, Onoe H, [Shiina T](#), Yamanaka S, Takahashi J. Direct Comparison of Autologous and Allogeneic Transplantation of iPSC-Derived Neural Cells in the Brain of a Nonhuman Primate Stem. *Stem Cell Reports* 1: 1-10, 2013. 査読有
 7. Blancher A, Aarnink A, Yamada Y, Tanaka K, Yamanaka H, [Shiina T](#). Study of MHC class II region polymorphism in the Filipino cynomolgus macaque population. *Immunogenetics* 66: 219-230, 2014. 査読有
 8. Kisu I, Mihara M, Banno K, Masugi Y, Hara H, Araki J, Iida T, Moriguchi H, Yamada Y, Tonsho M, Kato Y, [Shiina T](#), Suganuma N, Aoki D. Uterine allotransplantation in cynomolgus macaque: preliminary experience with non-human primate models. *J Obst Gynaecol Res.* 40: 907-918, 2014. 査読有
 9. Kono A, Brameier M, Roos C, Suzuki S, Shigenari A, Kametani Y, Kitaura K, Matsutani T, Suzuki R, Inoko H, Walter L, [Shiina T](#). Genomic sequence analysis of the major histocompatibility complex (MHC) class I G/F segment in common marmoset (*Callithrix jacchus*). *J Immunol.* 192: 3239-3246, 2014. 査読有
 10. Kisu I, Kato Y, Tsuchiya H, Kawamoto I, Nakagawa T, Ogasawara K, Hayakawa T, Yamayoshi Y, Iketani O, Mihara M, Banno K, Sato S, [Shiina T](#), Aoki D. Study of pharmacokinetic properties of cyclosporine A after subcutaneous injection in cynomolgus monkey. *Int J Pharmacol.* 40: 907-918, 2014. 査読有
 11. [Shiina T](#), Yamada Y, Aarnink A, Suzuki S, Masuya A, Ito S, Ido D, Yamanaka H, Iwatani C, Tsuchiya H, Ishigaki H, Itoh Y, Ogasawara K, Kulski JK, Blancher A. Discovery of novel MHC-class I gene alleles, haplotypes and expression levels in Filipino cynomolgus macaques (*Macaca fascicularis*) by pyrosequencing. *Immunogenetics* 67: 563-578, 2015. 査読有
 12. Morita D, Yamamoto Y, Mizutani T, Ishikawa T, Suzuki J, Igarashi T, Mori N, [Shiina T](#), Inoko H, Tanaka Y, Mikami B, Sugita M. Crystal structure of the lipopeptide-bound MHC class I complex. *Nature Communication* In press. 査読有
 13. Kawamura T, Miyagawa S, Fukushima S, Maeda A, Kashiyama N, Kawamura A, Miki K, Hotta A, Okita K, Yoshida Y, [Shiina T](#), Ogasawara K, Miyagawa S, Okuyama H, Sawa Preventing allogeneic immune rejection by transplantation of MHC-homo-induced pluripotent stem cell-derived cardiomyocytes into MHC-matched nonhuman primates. *Stem Cell Reports* In press. 査読有

塩見邦博（信州大学）

1. 塩見邦博「カイコの休眠誘導と環境応答」蚕糸・昆虫バイオテック，日本蚕糸学会，Vol. 84 (2)，119-126. 2015.（査読無し）

柴 博史（筑波大学）

1. 柴 博史，シロイヌナズナ種内雑種で見られる雑種強勢の分子メカニズム，植物の生長調節，2015, 50, 139-143, 査読無し
2. Takada, Y., Sato, T., Suzuki, G., Shiba, H., Takayama, S., and Watanabe, M., Involvement of MLPK Pathway in Intraspecies Unilateral Incompatibility Regulated by a Single Locus with Stigma and Pollen Factors, *Genes Genomes Genetics*, 3, 2013, 719-726, 査読有り
3. 前川 雅彦, 金澤 章, 堤 伸浩, 木下 哲, 土生 芳樹, 柴 博史, 江面 浩, エピミュータジェネシスと次世代育種への展開, 育種学研究 15, 2013, 42-50, 査読無し
4. Shiba, H. and Takayama, S., Epigenetic regulation of monoallelic gene expression, *Development, Growth & Differentiation* 54, 2012, 120-128, 査読有り

嶋田 透（東京大学）

1. Wang, H., Kiuchi, T., Katsuma, S., and Shimada, T., A novel sucrose hydrolase from the bombycoid silkworms *Bombyx mori*, *Trilocho varians*, and *Samia cynthia ricini* with a substrate specificity for sucrose. *Insect Biochemistry and Molecular Biology* 61:46-52
2. 嶋田 透（2015）昆虫の食性の進化を遺伝子で説明できるか？（特集「ゲノムで進化の謎を解く」），細胞工学, 2015, , 論文 024165

將口栄一（沖縄科学技術大学院大学）

1. Beedessee, G, Hisata, K., Roy, M.C., Satoh, N. & Shoguchi, E. Multifunctional polyketide synthase genes identified by genomic survey of the symbiotic dinoflagellate, *Symbiodinium minutum*. *BMC Genomics*. **16**, 941 (2015) 査読有り
2. Shoguchi, E., Shinzato, C., Hisata, K., Satoh, N. & Mungpakdee, S. The large mitochondrial genome of *Symbiodinium minutum* reveals conserved non-coding sequences between dinoflagellates and apicomplexans. *Genome Biol. Evol.* **7**, 2237-2244 (2015) 査読有り
3. Mungpakdee, S., Shinzato, C., Takeuchi, T., Kawashima, T., Koyanagi, R., Hisata, K., Tanaka, M., Goto, H., Fujie, M., Lin, S., Satoh, N. & Shoguchi, E. Massive gene transfer and extensive RNA editing of a symbiotic dinoflagellate plastid genome. *Genome Biol. Evol.* **6**, 1408-1422 (2014) 査読有り
4. Shoguchi, E., Shinzato, C., Kawashima, T., Gyoja, F., Mungpakdee, S., Koyanagi, R., Takeuchi, T., Hisata, K., Tanaka, M., Fujiwara, M., Hamada, M., Seidi, A., Fujie, M., Usami, T., Goto, H., Yamasaki, S., Arakaki, N., Suzuki, Y., Sugano, S., Toyoda, A., Kuroki, Y., Fujiyama, A., Medina, M., Coffroth, M. A., Bhattacharya, D. & Satoh, N. Draft assembly of the *Symbiodinium minutum* nuclear genome reveals dinoflagellate gene structure. *Curr. Boil.* **23**, 1399-1408 (2013) 査読有り

鈴木 勉（東京大学）

1. Okada S., Sakurai M., Ueda H., Suzuki T. Biochemical and transcriptome-wide identification of A-to-I RNA editing by ICE-seq *Methods in Enzymology*, vol.560, pp.331-353, 2015.
2. Suzuki T., Ueda H., Okada S., Sakurai M. Transcriptome-wide identification of adenosine-inosine editing using ICE-seq method *Nature Protocols*, vol.10, pp.715-732, 2015.

3. Sakurai M., Ueda H., Yano T., Okada S., Terajima H., Mitsuyama T., Toyoda A., Fujiyama A., Kawabata H., Suzuki T.. A biochemical landscape of A-to-I RNA editing in the human brain transcriptome. *Genome Research*, Cold Spring Harbor Laboratory Press, vol.24, pp.522-534, 2014.

曾田貞滋（京都大学）

1. 曾田貞滋・小沼順二・藤澤知親（2014）陸貝食オサムシの巨頭型と狭頭型：適応的形態分化はどのように起こるのか？ ゲノムで進化の謎を解く！第10回．細胞工学 33(10)：1080-1084.（査読無し）

平良眞規（東京大学）

1. Yuuri Yasuoka, Yutaka Suzuki, Shuji Takahashi, Haruka Someya, Norihiro Sudou, Yoshikazu Haramoto, Ken Cho, Makoto Asashima, Sumio Sugano, and Masanori Taira (2014). Occupancy of Tissue-Specific cis-Regulatory Modules by Otx2 and TLE/Groucho for Embryonic Head Specification. *Nat. Commun.* 5, 4322 (article number). 査読有り

高橋秀尚（北海道大学）

1. Takahashi H., Takigawa I., Watanabe M., Anwar D., Shibata M., Tomomori-Sato C., Sato S., Ranjan A., Seidel CW, Tsukiyama T., Mizushima W., Hayashi M., Ohkawa Y., Conaway JW., Conaway RC., Hatakeyama S.: MED26 regulates the transcription of snRNA genes through the recruitment of little elongation complex. *Nature Commun.*, 6, 5941, 2015.（査読有り）

高畑信也（北海道大学）

1. Shota Suzuki, Hiroaki Kato, Yutaka Suzuki, Yuji Chikashige, Yasushi Hiraoka, Hiroshi Kimura, Koji Nagao, Chikashi Obuse, Shinya Takahata and Yota Murakami, Histone H3K36 trimethylation is essential for multiple silencing mechanism in fission yeast. *Nucleic Acids Research* in press (査読有り)

高濱 洋介（徳島大学）

1. Takada K, Van Laethem F, Xing Y, Akane K, Suzuki H, Murata S, Tanaka K, Jameson SC, Singer A, Takahama Y. TCR affinity for thymoproteasome-dependent positively selecting peptides conditions antigen responsiveness in CD8⁺ T cells. *Nature Immunology*. 16, 1069-1076, 2015（査読あり）

竹井祥郎（東京大学）

1. Ando, M., Wong, M. K., and Takei, Y. (2014). Mechanisms of guanylin action on water and ion absorption at different regions of seawater eel intestine. *Am. J. Physiol.* 307: R653-R663.（査読あり）
2. Wong, M.K., Ozaki, H., Suzuki, Y., Iwasaki, W., and Takei, Y. (2014). Discovery of osmotic sensitive transcription factors in fish intestine via a transcriptomic approach. *BMC Genomics* 15: 1134（査読あり）

竹内 理（京都大学）

1. Uehata T, Iwasaki H, Vandenbon A, Matsushita, K, Hernandez Cuellar E, Kuniyoshi K, Satoh T, Mino T, Suzuki Y., Standley DM, Tsujimura T, Rakugi H, Isaka Y, Takeuchi O and Akira S,

Malt1-Induced Cleavage of Regnase-1 in CD4+ Helper T Cells Regulates Immune Activation, *Cell*, 153, 1036-49, 2013 査読有

2. Mino T, Murakawa Y, Fukao A, Vandenbon A, Wessels HH, Ori D, Uehata T, Tartey S, Akira S, Suzuki Y, Vinuesa CG, Ohler U, Standley DM, Landthaler M, Fujiwara T, Takeuchi O. Regnase-1 and Roquin Regulate a Common Element in Inflammatory mRNAs by Spatiotemporally Distinct Mechanisms. *Cell*, 161, 1058-73, 2015 査読有

竹田潤二 (大阪大学)

1. Yamagata, Koichi; Yamanishi, Ayako; Kokubu, Chikara; Takeda, Junji; Sese, Jun, COSMOS: accurate detection of somatic structural variations through asymmetric comparison between tumor and normal samples., *Nucleic Acids Research*, In press

武田洋幸 (東京大学)

1. Nakamura R, Tsukahara T, Qu W, Ichikawa K, Otsuka T, Ogoshi K, Saito TL, Matsushima K, Sugano S, Hashimoto S, Suzuki Y, Morishita S and Takeda H, “Large hypomethylated domains serve as strong repressive machinery for key developmental genes in vertebrates”, *Development*, 141, 2014, 2568-1580 査読有り

田中知明 (千葉大学)

1. Suzuki S, Tanaka T, Poyurovsky MV, Nagano H, Mayama T, Ohkubo S, Lokshin M, Hosokawa H, Nakayama T, Suzuki Y, Sugano S, Sato E, Nagao T, Yokote K, Tatsuno I, Prives C Phosphate activated glutaminase (GLS2), a novel p53-inducible regulator of glutamine metabolism and reactive oxygen species. *Proc Natl Acad Sci U S A* 107(16):7461-6 (2010), (査読有)
2. Horiuchi S, Onodera A, Hosokawa H, Watanabe Y, Tanaka T, Sugano S, Suzuki Y, Nakayama T. Genome-wide analysis reveals unique regulation of transcription of Th2-specific genes by GATA3. *J Immunol*. 186(11):6378-89 (2011) (査読有)
3. Hosokawa, H., Tanaka, T., Suzuki, Y., Iwamura, C., Ohkubo, S., Endoh, K., Kato, M., Nakayama, T. Functionally distinct Gata3/Chd4 complexes coordinately establish T helper 2 (Th2) cell identity. *Proc Natl Acad Sci U S A*. 110 (12):4691-4696. (2013) (査読有)
4. Hosokawa H, Tanaka T, Kato M, Tohyama H, Hanazawa A, Tamaki Y, Hirahara K, Sakikawa I, Morita A, Nagira M, Suzuki, Y and Nakayama, T. Gata3/Ruvbl2 complex regulates T helper 2 cell proliferation via repression of Cdkn2c expression. *Proc Natl Acad Sci U S A*. 110(46):18626-18631 (2013). (査読有)
5. 田中知明, 癌抑制遺伝子 p53 によるエピジェネティクス制御と細胞老化のメカニズム. 日本老年医学会雑誌. 48 :134-137. (2011)
6. 田中知明, 転写因子 p53 の翻訳後修飾と転写活性化機構. 生化学 82:200-209. (2011)
7. 田中知明, p53 作用の分子メカニズム. The Lipid. 22:374-384. (2011)

田中章景 (名古屋大学)

1. Nakamura R, Sone J, Atsuta N, Tohnai G, Watanabe H, Yokoi D, Nakatochi M, Watanabe H, Ito M, Senda J, Katsuno M, Tanaka F, Li Y, Izumi Y, Morita M, Taniguchi A, Kano O, Oda M, Kuwabara S, Abe K, Aiba I, Okamoto K, Mizoguchi K, Hasegawa K, Aoki M, Hattori N, Tsuji S, Nakashima K, Kaji R, Sobue G; Japanese Consortium for Amyotrophic Lateral Sclerosis Research (JaCALS). Next-generation sequencing of 28 ALS-related genes in a Japanese ALS cohort. *Neurobiol Aging*. in press [Epub ahead of print 2015 Dec 7] 査読あり

谷明生 (岡山大学)

1. Tani A, Ogura Y, Hayashi T, Kimbara K: Complete genome sequence of *Methylobacterium aquaticum* strain 22A, isolated from *Racomitrium japonicum* moss. *Genome Announc* 3 (2015) e00266-15. 査読あり

千葉和義 (お茶の水女子大学)

1. Ochi H, Saki A, Tachibana K, Hara M., and Chiba K. Block of Cdk1-dependent poly(A) elongation of *cyclin B* mRNA in MI-arrested starfish oocytes is released by intracellular pH elevation upon spawning. *Mol Reprod Dev* 83 79-87 (2016) 査読有り

千葉親文 (筑波大学)

1. Endo Y., Toyama F, Chiba C, Mori H. and Shoji K. (2014) De Novo Short Read Assembly Algorithm with Low Memory Usage. In *Proceedings of the International Conference on Bioinformatics Models, Methods and Algorithms (BIOSTEC 2014)*, ISBN 978-989-758-012-3, 215-220. DOI: 10.5220/0004881002150220. 査読有
2. Yokoe, M., Sano, M., Shibata, H., Shibata, D., Takayama-Watanabe, E., Inaba, K. and Watanabe, A. (2014) Sperm proteases that may be involved in the initiation of sperm motility in the newt, *Cynops pyrrhogaster*. *Int. J. Mol. Sci.* **15**, 15210-15224. DOI: 10.3390/ijms150915210. 査読有
3. Nakamura, K., Islam, M.R., Takayanagi, M., Yasumuro, H., Inami, W., Kunahong, A., Casco-Robles, R.M., Toyama, F and Chiba, C. (2014) A transcriptome for the study of early processes of retinal regeneration in the adult newt, *Cynops pyrrhogaster*. *PLoS ONE* 9, e109831. DOI: 10.1371/journal.pone.0109831. 査読有
4. Islam, M.R., Nakamura, K., Casco-Robles, M.M., Kunahong, A., Inami, W., Toyama, F, Maruo, F and Chiba, C. (2014) The newt reprograms mature RPE cells into a unique multipotent state for retinal regeneration. *Sci. Rep.* **4**, 6043. DOI: 10.1038/srep06043. 査読有
5. Inami, W., Islam, M.R., Nakamura, K., Yoshikawa, T., Yasumuro, H., Casco-Robles, M.M., Toyama, F, Maruo, F and Chiba, C. (2016) Expression of two classes of *Pax6* transcripts in reprogramming retinal pigment epithelium cells of the adult newt. *Zool. Sci.* in press. 査読有
6. Sousounis, K., Qi, F., Yadav, M.C., Millan, J.L., Toyama, F, Chiba, C, Eguchi, Y., Eguchi, G. and Tsonis, P.A. (2015) A robust transcriptional program in newts undergoing multiple events of lens regeneration. *eLife* 2015;10.7554/eLife.09594. DOI: <http://dx.doi.org/10.7554/eLife.09594>. 査読有
7. Kudo, Y., Chiba, C, Konoki, K., Cho, Y. and Yotsu-Yamashita, M. (2015) Confirmation of the absence of tetrodotoxin and its analogues in the juveniles of the Japanese fire-bellied newt, *Cynops pyrrhogaster*, captive-reared from eggs in the laboratory using HILIC-LC-MS. *Toxicon* **101**, 101-105. DOI: 10.1016/j.toxicon.2015.05.008. 査読有
8. Endo, Y., Toyama, F, Chiba, C, Mori, H. and Shoji, K. (2015) A memory efficient short read de novo assembly algorithm. *IPSI Transactions on Bioinformatics* **8**, 2-8. DOI: 10.2197/ipsjtbio.8.2. 査読有
9. Casco-Robles, M.M., Miura, T. and Chiba, C. (2015) The newt (*Cynops pyrrhogaster*) RPE65 promoter: molecular cloning, characterization and functional analysis. *Transgenic Res.* **24**, 463-473. DOI: 10.1007/s11248-014-9857-1. 査読有

塚原達也 (東京大学)

1. Nakamura R, Tsukahara T, Qu W, Ichikawa K, Otsuka T, Ogoshi K, Saito TL, Matsushima K, Sugano S, Hashimoto S, Suzuki Y, Morishita S and Takeda H, "Large hypomethylated domains

serve as strong repressive machinery for key developmental genes in vertebrates”, *Development*, 141, 2568-1580, 2014, 査読あり

辻省次（東京大学）

1. The Multiple-System Atrophy Research Collaboration (Mitsui J, Matsukawa T, Ishiura H, Fukuda Y, Ichikawa Y, Date H, Ahsan B, Nakahara Y, Momose Y, Takahashi Y, Iwata A, Goto J, Yamamoto Y, Komata M, Shirahige K, Hara K, Kakita A, Yamada M, Takahashi H, Onodera O, Nishizawa M, Takashima H, Kuwano R, Watanabe H, Ito M, Gen SobueSobue G, Soma H, Yabe I, Sasaki H, Aoki M, Ishikawa K, Mizusawa H, Kanai K, Hattori T, Kuwabara S, Arai K, Koyano S, Kuroiwa Y, Hasegawa K, Yuasa T, Yasui K, Nakashima K, Ito H, Hananosato MV, Izumi Y, Kaji R, Kato T, Kusunoki S, Osaki Y, Horiuchi M, Kondo T, Murayama S, Hattori N, Yamamoto M, Murata M, Satake W, Toda T, Dürr A, Brice A, Filla A, Klockgether T, Wüllner U, Nicholson G, Gilman S, Shults CW, Tanner CM, Kukull WA, Lee VM, Parkinson U, Masliah E, Low PA, Sandroni P, Trojanowski JQ, Parkinson U, Ozelius L, Foroud T, Tsuji S). Mutations in *COQ2* in familial and sporadic multiple-system atrophy. *N Engl J Med*. 2013; 369: 233-44. (査読あり)
2. Mitsui J, Tsuji S. Genomic Aspects of Sporadic Neurodegenerative Diseases. *Biochem Biophys Res Commun*. 2014; 452: 221-5. (査読あり)
3. Mitsui J, Matsukawa T, Sasaki H, Yabe I, Matsushima M, Dürr A, Brice A, Takashima H, Kikuchi A, Aoki M, Ishiura H, Yasuda T, Date H, Ahsan B, Iwata A, Goto J, Ichikawa Y, Nakahara Y, Momose Y, Takahashi Y, Hara K, Kakita A, Yamada M, Takahashi H, Onodera O, Nishizawa M, Watanabe H, Ito M, Sobue G, Ishikawa K, Mizusawa H, Kanai K, Hattori T, Kuwabara S, Arai K, Koyano S, Kuroiwa Y, Hasegawa K, Yuasa T, Yasui K, Nakashima K, Ito H, Izumi Y, Kaji R, Kato T, Kusunoki S, Osaki Y, Horiuchi M, Kondo T, Murayama S, Hattori N, Yamamoto M, Murata M, Satake W, Toda T, Filla A, Klockgether T, Wüllner U, Nicholson G, Gilman S, Tanner CM, Kukull WA, Stern MB, Lee VM-Y, Trojanowski JQ, Masliah E, Low PA, Sandroni P, Ozelius LJ, Foroud T, and Tsuji S. Variants associated with Gaucher disease in multiple system atrophy. *Ann Clin Transl Neurol*. 2015; 2: 417-426 (査読あり)

津田雅孝（東北大学）

1. 加藤広海, 大坪嘉行, 永田裕二, 津田雅孝: 芳香族化合物による土壌攪乱における微生物遺伝子プールの変動. *Journal of Environmental Biotechnology* 10: 63-71 (2010)
2. 永山浩史, 菅原智詞, 遠藤諒, 加藤広海, 大坪嘉行, 永田裕二, 津田雅孝: 機能相補による芳香族化合物複合汚染土壌からの新規分解酵素遺伝子の探索. *Journal of Environmental Biotechnology* 13: 51-56 (2013)
3. Mori H, Maruyama F, Kato H, Toyoda A, Dozono A, Ohtsubo Y, Nagata Y, Fujiyama A, Tsuda M, Kurokawa K: Design and experimental validation of non-degenerate universal primers that amplify prokaryotic 16S rRNA genes without amplification of eukaryotic rRNA genes. *DNA Research* 21: 217-227. (2014)
4. Nagayama H, Sugawara T, Endo R, Ono A, Kato H, Ohtsubo Y, Nagata Y, Tsuda M: Isolation of oxygenase genes for indigo-forming activity from an artificially polluted soil metagenome by functional screening using *Pseudomonas putida* strains as hosts. *Applied Microbiology and Biotechnology* 99: 4453-4470. (2015)
5. Kato H, Ogawa N, Ohtsubo Y, Oshima K, Toyoda A, Mori H, Nagata Y, Kurokawa K, Hattori M, Fujiyama A, Tsuda M: Complete genome sequence of a phenanthrene degrader, *Mycobacterium* sp. strain EPa45 (NBRC 110737), isolated from a phenanthrene-degrading consortium. *Genome Announcements* 3: e00782-15. (2015)
6. 加藤広海, 小川なつみ, 津田雅孝: メタゲノム情報を基盤とした土壌細菌コミュニティの解析. *日本微生物生態学会誌* 30: 57-64. (2015)

7. Kato H, Mori H, Maruyama F, Toyoda A, Oshima K, Endo R, Fuchu G, Miyakoshi M, Dozono A, Ohtsubo Y, Nagata Y, Hattori M, Fujiyama A, Kurokawa K, Tsuda M: Time-series metagenomic analysis reveals robustness of soil microbiome against chemical disturbance. DNA Research 22: 413-424 (2015)

筒井 研 (岡山大学)

1. Onoda, A., Hosoya, O., Sano, K., Kiyama, K., Kimura, H., Kawano, S., Furuta, R., Miyaji, M., Tsutsui, K. and Tsutsui, K. M. : Nuclear dynamics of topoisomerase II α reflects its catalytic activity that is regulated by binding of RNA to the C-terminal domain. Nucleic Acids Res., 42 (14): 9005-9020 (2014) 査読有り
2. Miyaji, M., Furuta, R., Sano, K., Tsutsui, K. M. and Tsutsui, K. : Genomic regions targeted by DNA topoisomerase II α frequently interact with a nuclear scaffold/matrix protein hnRNP U/SAF-A/SP120. J. Cell. Biochem., 116: 677-685 (2015) 査読有り

永田裕二 (東北大学)

1. Ohtsubo Y, Sato T, Kishida K, Tabata M, Ogura Y., Hayashi T., Tsuda M, Nagata Y. 2014. Complete Genome Sequence of *Pseudomonas aeruginosa* MTB-1, Isolated from a Microbial Community Enriched by the Technical Formulation of Hexachlorocyclohexane. Genome announcements 2:e01130-13 査読有
2. Ohtsubo Y, Kishida K, Sato T, Tabata M, Kawasumi T, Ogura Y., Hayashi T., Tsuda M, Nagata Y. 2014. Complete Genome Sequence of *Pseudomonas* sp. Strain TKP, Isolated from a gamma-Hexachlorocyclohexane-Degrading Mixed Culture. Genome announcements 2:e01241-13. 査読有

中永和枝 (国立感染症研究所)

1. Yotsu RR, Nakanaga K., Hoshino Y, Suzuki K, Ishii I N.: Buruli Ulcer and Current Situation in Japan: a new emerging cutaneous Mycobacterium infection. The Journal of Dermatology 39 : 587-593, 2012.
2. Nakanaga K., Hoshino Y, Yotsu RR, Makino M, Ishii I N.: Laboratory procedures for the detection and identification of cutaneous non-tuberculous mycobacterial infections. The Journal of Dermatology 40:151-159,2013.
3. Nakanaga K., Yotsu RR, Hoshino Y, Suzuki K, Makino M, Ishii I N.: Buruli ulcer and mycolactone-producing mycobacteria. Japanese Journal of Infectious Diseases 66:83-88,2013.
4. Ohtsuka M, Kikuchi N, Yamamoto T, Suzutani T, Nakanaga K., Suzuki K, Ishii I N.: Buruli ulcer caused by *Mycobacterium ulcerans* subsp. *shinshuense*: The first case of familial concurrent occurrence and detection of IS2404 from the environment in Japan. JAMA Dermatology 150:64-67,2014.
5. Yotsu RR, Murase C, Sugawara M, Suzuki K, Nakanaga K., Ishii I N, Kingsley A.: Revisiting Buruli ulcer, The Journal of Dermatology 42:1-9, 2015.
6. Sugawara M, Ishii N, Nakanaga K., Suzuki K, Umebayashi Y, Makigami K, Aihara M: Exploration of a standard treatment for Buruli ulcer through a comprehensive analysis of all Japanese cases. The Journal of Dermatology 42: 588-595, 2015.

中山浩次 (長崎大学)

1. Mariko Naito, Yoshitoshi Ogura, Takehiko Itoh, Mikio Shoji, Masaaki Okamoto, Tetsuya Hayashi, and Koji Nakayama. The complete genome sequencing of *Prevotella intermedia* strain OMA14 and a subsequent finescale, intra-species genomic comparison re an unusual

amplification of conjugative and mobile transposons and identify a novel *Prevotella*-lineage-specific repeat. DNA Research (in press) (doi: 10.1093/dnares/dsv032) (査読有)

中山二郎 (九州大学)

1. 東佳那子、中山二郎 「進化する次世代シーケンサーによる腸内細菌叢の解析」 腸内細菌学雑誌、29、2015、135-144、査読有.

二階堂雅人 (東京工業大学)

1. Kudo Y*, Nikaido M*, Kondo A, Suzuki H, Kikuchi K, Okada NA microsatellite-based genetic linkage map and putative sex determining regions in Lake Victoria cichlids. GENE 560:156-164. (2015) (*equally contributed, #corresponding author)
2. Brawand D, Wagner CE, Li YI, Malinsky M, Keller I, Fan S, Simakov O, Ng AY, Lim ZW, Bezault E, Turner-Maier J, Johnson J, Alcazar R, Noh HJ, Russell P, Aken B, Alföldi J, Amemiya C, Azzouzi N, Baroiller JF, Barloy-Hubler F, Berlin A, Bloomquist R, Carleton KL, Conte MA, D'Cotta H, Eshel O, Gaffney L, Galibert F, Gante HF, Gnerre S, Greuter L, Guyon R, Haddad NS, Haerty W, Harris RM, Hofmann HA, Hourlier T, Hulata G, Jaffe DB, Lara M, Lee AP, MacCallum I, Mwaiko S, Nikaido M, Nishihara H, Ozouf-Costaz C, Penman DJ, Przybylski D, Rakotomanga M, Renn SC, Ribeiro FJ, Ron M, Salzburger W, Sanchez-Pulido L, Santos ME, Searle S, Sharpe T, Swofford R, Tan FJ, Williams L, Young S, Yin S, Okada N, Kocher TD, Miska EA, Lander ES, Venkatesh B, Fernald RD, Meyer A, Ponting CP, Streelman JT, Lindblad-Toh K, Seehausen O, Di Palma F. The genomic substrate for adaptive radiation in African cichlid fish. Nature 513:375-381. (2014)
3. Nikaido M, Ota T, Hirata T, Satta Y, Saito Y, Aibara M, Mzighani SI, Hagino-Yamagishi K, Sturmbauer C, Okada N. Multiple episodic evolution events in V1R receptor genes of East-African cichlids. Genome Biol. Evol. 6:1135-1144. (2014)
4. 二階堂雅人、岡田典弘 「シクリッドゲノムプロジェクトの現状」『生物の科学遺産』pp. 184-188, 2012.

西田洋巳 (富山県立大学)

1. Yamauchi K, Kondo S, Hamamoto M, Takahashi Y, Ogura Y, Hayashi T, Nishida H (2015) Draft genome sequence of the archiascomycetous yeast *Saitoella complicata*. Genome Announcements 3:e00220-15 [査読有]

西中村隆一 (熊本大学)

1. Kanda S, Tanigawa S, Ohmori T, Taguchi A, Kudo K, Suzuki Y, Sato Y, Hino S, Sander M, Perantoni AO, Sugano S, Nakao M, and Nishinakamura R. Sall1 maintains nephron progenitors and nascent nephrons by acting as both an activator and a repressor. *J. Am. Soc. Nephrol.* 25: 2584-2595, 2014. 査読有

野崎久義 (東京大学)

1. Hamaji, H., Smith, D. R., Noguchi, H., Toyoda, A., Suzuki, M., Kawai-Toyooka, H., Fujiyama, A., Nishii, I., Marriage, T., Olson, B. J. S. C. and Nozaki, H., 2013. Mitochondrial and plastid genomes of the colonial green alga *Gonium pectorale* give insights into the origins of organelle DNA architecture within the Volvocales. PLoS ONE 8: e57177. 査読有
2. Kawai-Toyooka, H., Mori, T. Hamaji, T., Suzuki, M., Olson, B. J. S. C., Uemura, T., Ueda, T.,

Nakano, A., Toyoda, A., Fujiyama, A. and Nozaki, H. 2014. Sex-specific posttranslational regulation of the gamete fusogen GCS1 in the isogamous volvocine alga *Gonium pectorale*. *Eukaryotic Cell* 13: 648-656. 査読有

浜本 洋 (東京大学)

1. Ishii K, Adachi T, Yasukawa J, Suzuki Y., Hamamoto H., Sekimizu K. Induction of Virulence Gene Expression in *Staphylococcus aureus* by Pulmonary Surfactant. *Infect Immun.* 82(4):1500-1510 (2014)

林 哲也 (九州大学)

1. Tadasuke Ooka, Eisuke Tokuoka, Masato Furukawa, Tetsuya Nagamura, Yoshitoshi Ogura, Kokichi Arisawa, Seiya Harada, and Tetsuya Hayashi: A human outbreak case associated with *Escherichia albertii*. **Emerg. Infect. Dis.** 19(1):144-146, 2013.
2. Tadasuke Ooka, Yoshitoshi Ogura, Keisuke Katsura, Kazuko Seto, Hideki Kobayashi, Kimiko Kawano, Eisuke Tokuoka, Masato Furukawa, Seiya Harada, Shuji Yoshino, Junji Seto, Tetsuya Ikeda, Keiji Yamaguchi, Kazunori Murase, Yasuhiro Gotoh, Naoko Imuta, Junichiro Nishi, Ta[^]nia A. Gomes, Lothar Beutin, and Tetsuya Hayashi: Defining the genome features of *Escherichia albertii*, an emerging enteropathogen closely related to *Escherichia coli*. **Genome Biol Evol**, 7(12): 3170-3179. 2015.

原 一雄 (東京医科大学)

1. Hara K., Fujita H, Johnson TA, Yamauchi T, Yasuda K, Horikoshi M, Peng C, Hu C, Ma RC, Imamura M, Iwata M, Tsunoda T, Morizono T, Shojima N, So WY, Leung TF, Kwan P, Zhang R, Wang J, Yu W, Maegawa H, Hirose H; DIAGRAM consortium, Kaku K, Ito C, Watada H, Tanaka Y, Tobe K, Kashiwagi A, Kawamori R, Jia W, Chan JC, Teo YY, Shyong TE, Kamatani N, Kubo M, Maeda S, Kadowaki T: Genome-wide association study identifies three novel loci for type 2 diabetes. *Hum Mol Genet.* 23; 2014:239-246 (査読有)

菱田 卓 (学習院大学)

1. Haruta, N., Kubota, Y., and Hishida, T., Chronic low-dose ultraviolet-induced mutagenesis in nucleotide excision repair-deficient cells. *Nucleic Acids Res.* 40(17):8406-8415, 2012.

深田吉孝 (東京大学)

1. Hikari Yoshitane, Haruka Ozaki, Hideki Terajima, Ngoc-Hien Du, Yutaka Suzuki, Taihei Fujimori, Naoki Kosaka, Shigeki Shimba, Sumio Sugano, Toshihisa Takagi, Wataru Iwasaki, and Yoshitaka Fukada CLOCK-controlled polyphonic regulations of circadian rhythms through canonical and non-canonical E-boxes. *Mol. Cell. Biol.*, 34(10), 1776-1787 (2014) 査読有

福井 学 (北海道大学)

1. Hisaya Kojima, Yoshitoshi Ogura, Nozomi Yamamoto, Tomoaki Togashi, Hiroshi Mori, Tomohiro Watanabe, Fumiko Nemoto, Ken Kurokawa, Tetsuya Hayashi and Manabu Fukui. Ecophysiology of *Thioploca ingrica* as revealed by the complete genome sequence supplemented with proteomic evidence. *The ISME Journal* 9: (2015) 1166-1176. 査読有

福澤秀哉（京都大学）

1. **Ohnishi N, Mukherjee B, Tsujikawa T, Yanase M, Nakano H, Moroney JV, Fukuzawa H** “Expression of a low-CO₂-inducible protein, LC11, increases inorganic carbon uptake in the green alga *Chlamydomonas reinhardtii*.” *Plant Cell* 22: 3105-3117 (2010) 査読有
2. **Yamano T, Tsujikawa T, Hatano K, Ozawa S, Takahashi Y, Fukuzawa H** “Light and low-CO₂ dependent LCIB/LCIC complex localization in the chloroplast supports the carbon-concentrating mechanism in *Chlamydomonas reinhardtii*.” *Plant Cell Physiol.* 51: 1453-1468 (2010) 査読有
3. **Matsuo M, Hachisu R, Tabata S, Fukuzawa H, Obokata J** “Transcriptome Analysis of Respiration-Responsive Genes in *Chlamydomonas reinhardtii*: Mitochondrial Retrograde Signaling Coordinates the Genes for Cell Proliferation with Energy-Producing Metabolism.” *Plant Cell Physiol.* 52: 333-43 (2011) 査読有
4. **福澤秀哉, 山野隆志, 梶川昌孝**「緑藻クラミドモナスにおける無機炭素濃縮機構と脂質代謝」*光合成研究* 22: 174-184 (2012) 査読有
5. **Yamano T, Asada A, Sato E, Fukuzawa H** “Isolation and characterization of mutants defective in the localization of LCIB, an essential factor for the carbon-concentrating mechanism in *Chlamydomonas reinhardtii*.” *Photosynthesis Res.* 121: 193-200 (2014) 査読有
6. **Wang L, Yamano T, Kajikawa M, Hirono M, Fukuzawa H** “Isolation and characterization of novel high-CO₂ requiring mutants of *Chlamydomonas reinhardtii*.” *Photosynthesis Res.* 121:175-184 (2014) 査読有
7. **Kajikawa M, Kinohira S, Ando, A, Shimoyama M, Kato M, Fukuzawa H** “Accumulation of squalene in a microalga *Chlamydomonas reinhardtii* by genetic modification of squalene synthase and squalene epoxidase genes.” *PLoS ONE* 10: e0120446 (2015) 査読有
8. **Kajikawa M, Sawaragi Y, Shinkawa H, Yamano T, Ando A, Kato M, Hirono M, Sato N, Fukuzawa H** “Algal dual-specificity tyrosine-phosphorylation-regulated kinase TAR1 regulates accumulation of triacylglycerol in nitrogen- or sulfur-deficiency.” *Plant Physiology* 168: 752-764 (2015) 査読有
9. **Yamano T, Sato E, Iguchi H, Fukuda Y, Fukuzawa H** “Characterization of cooperative bicarbonate uptake into chloroplast stroma in the green alga *Chlamydomonas reinhardtii*.” *Proc. Natl. Acad. Sci. USA* 112: 7315-7320 (2015) 査読有
10. 福澤秀哉「微細藻類における CO₂ 濃縮機構と物質生産」*学術の動向* 15(12):70-71 (2010)

藤井穂高（大阪大学）

1. Fujita T, Yuno M, Suzuki Y, Sugano S, and Fujii H, Identification of physical interactions between genomic regions by enChIP-Seq, *bioRxiv*, (2016), 036160; doi: <http://dx.doi.org/10.1101/036160>; 査読無

藤本 龍（神戸大学）

1. Takahiro Kawanabe, Kenji Osabe, Etsuko Itabashi, Keiichi Okazaki, Elizabeth S. Dennis, Ryo Fujimoto: Development of primer sets that can verify the enrichment of histone modifications and their application to examining the vernalization mediated chromatin changes in *Brassica rapa* L. *Genes Genet. Syst.* In press

藤原晴彦（東京大学）

1. Futahashi, R., Banno, Y. and Fujiwara, H.: Caterpillar color patterns are determined by a two-phase melanin gene pre-patterning process: new evidence from *tan* and *laccase2*. *Evolution and Development*, 12 (2010) 157-167. 査読有

2. Shirataki, H. Futahashi, R. and Fujiwara, H. : Species-specific coordinated gene expression and trans-regulation of larval color pattern in three swallowtail butterflies. *Evolution and Development*, 12 (2010) 305-314. 査読有
3. Yamaguchi, J. Mizoguchi, T. and Fujiwara, H.: siRNAs induce efficient RNAi response in *Bombyx mori* embryos. *PLoS One* , 6, (2011) e25469 査読有
4. Ando, T., Kojima, T. and Fujiwara, H.: Dramatic changes in patterning gene expression during metamorphosis are associated with the formation of a feather-like antenna by the silk moth, *Bombyx mori*. *Dev. Biol*, 357 (2011) 53-63. 査読有
5. Futahashi R., Shirataki, H., Narita, T., Mita, K. and Fujiwara, H.: Microarray-based Comprehensive Analysis for Stage-specific Larval Camouflage Pattern-associated Genes in the Swallowtail Butterfly, *Papilio xuthus*. *BMC Biol.*10 (2012) e46. 査読有
6. Shirai, H., Kamimura, M. Yamaguchi, J., Imanishi, S., Kojima, T. and Fujiwara, H.: Two adjacent cis-regulatory elements are required for ecdysone response of *ecdysone receptor (EcR) B1* transcription. *PLoS One* 7 (2012) e49348 査読有
7. Ando, T. and Fujiwara, H.: Electroporation mediated somatic transgenesis for rapid functional analysis in insects. *Development*, 140 (2013) 454-458 査読有
8. Yamaguchi, J. Yamamoto, K. Mita, K. Bannno, Y., Ando, T. and Fujiwara, H.: Periodic Wnt expression in response to ecdysteroid generates twin-spot markings on caterpillars. *Nat. Commun.* 4 (2013) e1857. 査読有
9. Nishikawa, H., Iga, M., Yamaguchi, J., Saito, K., Kataoka, H., Suzuki, Y., Sugano, S. and Fujiwara, H.: Molecular Basis of the wing coloration in a Batesian mimic butterfly, *Papilio polytes*. *Sci. Rep.* 3 (2013) e3184. 査読有
10. Yoda S., Yamaguchi J., Mita K., Yamamoto K., Banno Y., Ando T., Daimon T. and Fujiwara H.: The transcription factor apontic-like controls diverse coloration pattern in caterpillars. *Nat. Commun.* 5, 4936. (2014) doi: 10.1038/ncomms5936
11. Edayoshi M., Yamaguchi J. and Fujiwara H.: Protruding structures on caterpillar are controlled by ectopic Wnt1 expression. *PLoS One* 8 (2015) e0121736 査読有
12. Nishikawa H., Iijima T., Kajitani R., Yamaguchi J., Ando T., Suzuki, Y., Sugano, S., Fujiyama, A., Kosugi, S., Hirakawa, H., Tabata, S., Ozaki K., Morimoto H., Ihara, K. Obara M., Hori H., Itoh, T. and Fujiwara H. A genetic mechanism for female-limited Batsian mimicry in *Pupilio* butterfly. *Nature Genetics* 47 (2015) 405-409. 査読有
13. 藤原晴彦: 体表の紋様がまだらになるカイコ (1 枚の写真館)、細胞工学、29(2010) 415. 査読無
14. 藤原晴彦、山口淳一: 擬態の一面をさぐるー昆虫の体表紋様形成の分子機構 (生き物の不思議)、遺伝 64(2010)11-16. 査読無
15. 藤原晴彦: 特集複合適応形質進化の遺伝子基盤、特集に当たって、生物科学、63(2012)130. 査読無
16. 藤原晴彦: ホルモン応答を介した昆虫擬態紋様の進化、遺伝 67 (2013) 216-221. 査読無
17. 藤原晴彦: 世代シーケンサーの現状を考える、生物科学 64 (2013) 177-179. 査読無
18. 藤原晴彦: 特集「昆虫の色素・紋様形成」に当たって、蚕糸昆虫バイオテック 82 (2013) 3-4. 査読無
19. 藤原晴彦: アゲハチョウの擬態はどのように進化したのか、細胞工学「ゲノムで進化の謎を解く」 33. No11 (2014) 1196-1200. 査読無
20. 藤原晴彦: アゲハの擬態紋様、生体の科学「進化と発生からみた生命科学」、66 (2015) 267-271. 査読無
21. 藤原晴彦: 雌だけが擬態するアゲハチョウの謎を探る、現代化学、533 (2015) 29-32. 査読無
22. 藤原晴彦: アゲハチョウの擬態のどのように進化したか、進化の謎をゲノムで解く (2015) 106-113. 査読無

古澤 力（理化学研究所）

1. Horinouchi, T., Suzuki, S., Hirasawa, T., Ono, N., Yomo, T., Shimizu, H., Furusawa, C., Phenotypic convergence in bacterial adaptive evolution to ethanol stress, BMC Evol. Biol., 15 (2015), 180 査読有

古田芳一（マサチューセッツ工科大学）

1. Yoshikazu Furuta, Hiroe Namba-Fukuyo, Tomoko F. Shibata, Tomoaki Nishiyama, Shuji Shigenobu, Yutaka Suzuki, Sumio Sugano, Mitsuyasu Hasebe, Ichizo Kobayashi. Methylome diversification through changes in DNA methyltransferase sequence specificity. PLoS Genet., 10(4):e1004272 (2014). 査読有

細道一善（金沢大学）

1. Hosomichi K., Mitsunaga S, Nagasaki H, Inoue I. A Bead-based Normalization for Uniform Sequencing depth (BeNUS) protocol for multi-samples sequencing exemplified by HLA-B. BMC Genomics、15、2014、465、査読有
2. Hosomichi K., Jinam TA, Mitsunaga S, Nakaoka H, Inoue I. Phase-defined complete sequencing of the HLA genes by next-generation sequencing. BMC Genomics、14、2013、355、査読有

堀川幸男（岐阜大学）

1. 塩谷真由美、堀川幸男、武田 純、遺伝子異常による糖尿病、**糖尿病学** 西村書店 pp250-256, 2015 査読なし
2. 塩谷真由美、堀川幸男、武田 純、遺伝子異常による糖尿病、**最新臨床糖尿病学** 日本臨床 2015(印刷中) 査読なし

本田賢也（慶應義塾大学）

1. Atarashi K, Tanoue T, Oshima K, Suda W, Nagano Y, Nishikawa H, Fukuda S, Saito T, Narushima S, Hase K, Kim S, Fritz JV, Wilmes P, Ueha S, Matsushima K, Ohno H, Olle B, Sakaguchi S, Taniguchi T, Morita H, Hattori M., Honda K. Treg induction by a rationally selected mixture of Clostridia strains from the human microbiota. Nature. 2013;500(7461):232-236. 査読有り

前川清人（富山大学）

1. 林良信, 杉目康広, 箕浦るん, 三浦徹, 重信秀治, 前川清人 (2015) ヤマトシロアリのゲノム情報を防除に役立てるために. しろあり, 164: 2-11. 査読無し

前田太郎（基礎生物学研究所）

1. 前田太郎, 重信秀治, エヌ・ティー・エス, 「共生研究における新しいゲノム科学的手法」生物の科学「遺伝」 Vol. 67(4), 435-440, (2013), 5p
2. 前田太郎, (財)水産無脊椎動物研究所「囊舌目ウミウシ、チドリミドリガイは野外で藻類から葉緑体を補充し続けている」うみうし通信 Vol. 80, 8-10, (2013) 2p

松岡雅雄（京都大学）

1. Keiko Yasuma, Jun-ichirou Yasunaga, Keiko Takemoto, Kenji Sugata, Norihiro Takenouchi,

Masanori Nakagawa, Yutaka Suzuki, and Masao Matsuoka. HTLV-1 bZIP Factor Impairs Anti-viral Immunity by Inducing Co-inhibitory Molecule, T Cell Immunoglobulin and ITIM Domain (TIGIT). *PLoS Pathogens*, 12(1), 2016, e1005372. (査読あり)

松尾隆嗣 (東京大学)

1. Setoguchi, S., Kudo, A., Takanashi, T., Ishikawa, Y., and Matsuo, T. (2015). Social context-dependent modification of courtship behaviour in *Drosophila prolongata*. *Proceedings of the Royal Society B-Biological Sciences* 282, 20151377.
2. Kudo, A., Takamori, H., Watabe, H., Ishikawa, Y., and Matsuo, T. (2015). Variation in morphological and behavioral traits among isofemale strains of *Drosophila prolongata* (Diptera: Drosophilidae). *Entomological Science* 18, 221-229.
3. Yang, B., Ozaki, K., Ishikawa, Y., and Matsuo, T. (2015). Identification of Candidate Odorant Receptors in Asian Corn Borer *Ostrinia furnacalis*. *Plos One* 10, e0121261.
4. Fujii, T., Yasukochi, Y., Rong, Y., Matsuo, T., and Ishikawa, Y. (2015). Multiple Delta 11-desaturase genes selectively used for sex pheromone biosynthesis are conserved in *Ostrinia* moth genomes. *Insect Biochemistry and Molecular Biology* 61, 62-68.
5. Ohta, S., Seto, Y., Tamura, K., Ishikawa, Y., and Matsuo, T. (2015). Comprehensive identification of odorant-binding protein genes in the seed fly, *Delia platura* (Diptera: Anthomyiidae). *Applied Entomology and Zoology* 50, 457-463.
6. Sugimoto, T.N., Kayukawa, T., Matsuo, T., Tsuchida, T., and Ishikawa, Y. (2015). A short, high-temperature treatment of host larvae to analyze *Wolbachia*-host interactions in the moth *Ostrinia scapulalis*. *Journal of Insect Physiology* 81, 48-51.
7. Setoguchi, S., Takamori, H., Aotsuka, T., Sese, J., Ishikawa, Y., and Matsuo, T. (2014). Sexual dimorphism and courtship behavior in *Drosophila prolongata*. *Journal of Ethology* 32, 91-102.
8. Ohta, S., Seto, Y., Tamura, K., Ishikawa, Y., and Matsuo, T. (2014). Identification of odorant-binding protein genes expressed in the antennae and the legs of the onion fly, *Delia antiqua* (Diptera: Anthomyiidae). *Applied Entomology and Zoology* 49, 89-95.
9. Nagamine, K., Kayukawa, T., Hoshizaki, S., Matsuo, T., Shinoda, T., and Ishikawa, Y. (2014). Cloning, phylogeny, and expression analysis of the Broad-Complex gene in the longicorn beetle *Psacotha hilaris*. *Springerplus* 3, 539.
10. Harada, E., Nakagawa, J., Asano, T., Taoka, M., Sorimachi, H., Ito, Y., Aigaki, T., and Matsuo, T. (2012). Functional Evolution of Duplicated Odorant-Binding Protein Genes, *Obp57d* and *Obp57e*, in *Drosophila*. *Plos One* 7, e29710
11. Matsuo, T. (2012). Contribution of olfactory and gustatory sensations of octanoic acid in the oviposition behavior of *Drosophila melanogaster* (Diptera: Drosophilidae). *Applied Entomology and Zoology* 47, 137-142.
12. Tomioka, S., Aigaki, T., and Matsuo, T. (2012). Conserved cis-regulatory elements of two odorant-binding protein genes, *Obp57d* and *Obp57e*, in *Drosophila*. *Genes & Genetic Systems* 87, 323-329.
13. Mitaka, H., Matsuo, T., Miura, N., and Ishikawa, Y. (2011). Identification of odorant-binding protein genes from antennal expressed sequence tags of the onion fly, *Delia antiqua*. *Molecular Biology Reports* 38, 1787-1792.
14. Nakai, Y., Horiuchi, J., Tsuda, M., Takeo, S., Akahori, S., Matsuo, T., Kume, K., and Aigaki, T. (2011). Calcineurin and Its Regulator *Sra/DSCR1* Are Essential for Sleep in *Drosophila*. *Journal of Neuroscience* 31, 12759-12766.
15. Takahashi, K.R., Matsuo, T., and Takano-Shimizu-Kouno, T. (2011). Two types of cis-trans compensation in the evolution of transcriptional regulation. *Proceedings of the National Academy of Sciences of the United States of America* 108, 15276-15281.

松尾洋孝 (防衛医科大学校)

1. H. Matsuo, K. Yamamoto, H. Nakaoka, A. Nakayama, M. Sakiyama, T. Chiba, A. Takahashi, T. Nakamura, H. Nakashima, Y. Takada, I. Danjoh, S. Shimizu, J. Abe, Y. Kawamura, S. Terashige, H. Ogata, S. Tatsukawa, G. Yin, R. Okada, E. Morita, M. Naito, A. Tokumasu, H. Onoue, K. Iwaya, T. Ito, T. Takada, K. Inoue, Y. Kato, Y. Nakamura, Y. Sakurai, H. Suzuki, Y. Kanai, T. Hosoya, N. Hamajima, I. Inoue, M. Kubo, K. Ichida, H. Ooyama, T. Shimizu, N. Shinomiya, Genome-wide association study of clinically defined gout identifies multiple risk loci and its association with clinical subtypes. *Ann. Rheum. Dis.*, epub ahead of print (2015). (査読あり)
2. M. Sakiyama, H. Matsuo, S. Shimizu, H. Nakashima, T. Nakamura, A. Nakayama, T. Higashino, M. Naito, S. Suma, A. Hishida, T. Satoh, Y. Sakurai, T. Takada, K. Ichida, H. Ooyama, T. Shimizu, N. Shinomiya, The effects of URAT1/SLC22A12 nonfunctional variants, R90H and W258X, on serum uric acid levels and gout/hyperuricemia progression. *Sci. Rep.* (in press) (2016). (査読あり)
3. M. Sakiyama, H. Matsuo, Y. Takada, T. Nakamura, A. Nakayama, T. Takada, S. Kitajiri, K. Wakai, H. Suzuki, N. Shinomiya, Ethnic differences in ATP-binding cassette transporter, sub-family G, member 2 (ABCG2/BCRP): genotype combinations and estimated functions. *Drug Metab. Pharmacokinet.* **29** (2014) 490-492. (査読あり)
4. A. Nakayama, H. Matsuo, H. Nakaoka, T. Nakamura, H. Nakashima, Y. Takada, Y. Oikawa, T. Takada, M. Sakiyama, S. Shimizu, Y. Kawamura, T. Chiba, J. Abe, K. Wakai, S. Kawai, R. Okada, T. Tamura, Y. Shichijo, A. Akashi, H. Suzuki, T. Hosoya, Y. Sakurai, K. Ichida, N. Shinomiya, Common dysfunctional variants of ABCG2 have stronger impact on hyperuricemia progression than typical environmental risk factors. *Sci. Rep.* **4** (2014) 5227. (査読あり)
5. H. Matsuo, A. Nakayama, M. Sakiyama, T. Chiba, S. Shimizu, Y. Kawamura, H. Nakashima, T. Nakamura, Y. Takada, Y. Oikawa, T. Takada, H. Nakaoka, J. Abe, H. Inoue, K. Wakai, S. Kawai, Y. Guang, H. Nakagawa, T. Ito, K. Niwa, K. Yamamoto, Y. Sakurai, H. Suzuki, T. Hosoya, K. Ichida, T. Shimizu, N. Shinomiya, ABCG2 dysfunction causes hyperuricemia due to both renal urate underexcretion and renal urate overload. *Sci. Rep.* **4** (2014) 3755. (査読あり)
6. H. Matsuo, K. Ichida, T. Takada, A. Nakayama, H. Nakashima, T. Nakamura, Y. Kawamura, Y. Takada, K. Yamamoto, H. Inoue, Y. Oikawa, M. Naito, A. Hishida, K. Wakai, C. Okada, S. Shimizu, M. Sakiyama, T. Chiba, H. Ogata, K. Niwa, M. Hosoyamada, A. Mori, N. Hamajima, H. Suzuki, Y. Kanai, Y. Sakurai, T. Hosoya, T. Shimizu, N. Shinomiya, Common dysfunctional variants in *ABCG2* are a major cause of early-onset gout. *Sci. Rep.* **3** (2013) 2014. (査読あり)
7. 崎山真幸, 松尾洋孝: 若くして痛風を発症する遺伝子要因, 北隆館, *BIO Clinica* **30**, 2015, 493-496
8. 中山昌喜, 松尾洋孝, 高田龍平, 市田公美, 四ノ宮成祥: 【日本が貢献した世界的新知見】*ABCG2* と高尿酸血症, メディカルレビュー社, 高尿酸血症と痛風 **21**, 2013, 43-48

松下智直 (九州大学)

1. *Shikata H, *Hanada K, Ushijima T, Nakashima M, Suzuki Y, and Matsushita T “Phytochrome controls alternative splicing to mediate light responses in *Arabidopsis*”(*equal contribution) *Proc Natl Acad Sci USA* (査読あり) 111: 18781-18786 (2014)

松島綾美 (九州大学)

1. Matsushima A, Koyanagi, O.K., Nishimura, H., Inamine, S., Motomatsu, Y., and Shimohigashi, Y.: An *in silico* genomic search of endomorphin-like opioid peptides. *Peptide Science* 2014, 281-282 (2015). 査読有

丸山治彦 (宮崎大学)

1. Hunt, V., Tsai, I. J., Coghlan, A., Reid, A. J., Holroyd, N., Foth, B. J., Tracey, A., Cotton, J. A., Stanley, E. J., Beasley, H., Bennett, H., Brooks, K., Harsha, B., Kajitani, R., Kulkarni, A., Harbecke, D., Nagayasu, E., Nichol, S., Ogura, Y., Quail, M. A., Randle, N., Xia, D., Brattig, N., Ribeiro, D. M., Sanchez-Flores, A., Hayashi, T., Itoh, T., Denver, D. R., Grant, W., Stoltzfus, J. D., Lok, J. B., Murayama, H., Wastling, J., Streit, A., Kikuchi, T., Viney, M., and Berriman, M. The Genomic Basis of Parasitism in the Strongyloides Clade of Nematodes. **Nature Genetics**, 2016 (in press)
2. Hino, A., Maruyama, H., and Kikuchi T. A novel method to assess the biodiversity of parasites using 18S rDNA Illumina sequencing; Parasitome analysis method. **Parasitology International**, 2016 (in press)
3. Tanaka, R., Hino, A., Tsai, I.J., Palomares-Rius, J.E., Yoshida, A., Ogura, Y., Hayashi, T., Maruyama, H. and Kikuchi, T. Assessment of Helminth Biodiversity in Wild Rats Using 18S rDNA Based Metagenomics. **PLoS ONE** 9, e110769, 2014
4. Hino, A., Tanaka, T., Takaishi, M., Fujii, Y., Palomares-Rius, J.E., Hasegawa, K., Maruyama, H. and Kikuchi, T. Karyotype and reproduction mode of the rodent parasite Strongyloides venezuelensis. **Parasitology** 141, 1736-1745, 2014
5. Kajitani R, Toshimoto K, Noguchi H, Toyoda A, Ogura Y, Okuno M, Yabana M, Harada M, Nagayasu E, Maruyama H, Kohara Y, Fujiyama A, Hayashi T, Itoh T. Efficient *de novo* assembly of highly heterozygous genomes from whole-genome shotgun short reads. **Genome Res.** 24 (8): 1384-1395, 2014.
6. Nagayasu E, Ishikawa SA, Taketani S, Chakraborty G, Yoshida A, Inagaki Y, Maruyama H. Identification of a bacteria-like ferrochelatase in *Strongyloides venezuelensis*, an animal parasitic nematode. **PLoS One.** 8 (3): e58458, 2013
7. Nagayasu E, Ogura Y, Itoh T, Yoshida A, Chakraborty G, Hayashi T, Maruyama H. Transcriptomic analysis of four developmental stages of *Strongyloides venezuelensis*. **Parasitol Int.** 62 (1): 57-65, 2013

光永滋樹（東海大学）

1. Mitsunaga S, Hosomichi K, Okudaira Y, Nakaoka H, Kunii N, Suzuki Y, Kuwana M, Sato S, Kaneko Y, Homma Y, Kashiwase K, Azuma F, Kulski JK, Inoue I, Inoko H. Exome sequencing identifies novel rheumatoid arthritis-susceptible variants in the BTNL2. **J Hum Genet.** **58** (2013), 210-215. 査読有
2. Mitsunaga S, Hosomichi K, Okudaira Y, Nakaoka H, Suzuki Y, Kuwana M, Sato S, Kaneko Y, Homma Y, Oka A, Shiina T, Inoko H, Inoue I. Aggregation of rare/low-frequency variants of the mitochondria respiratory chain-related proteins in rheumatoid arthritis patients. **J Hum Genet.** **60** (2015), 449-454. 査読有

養田 歩（筑波大学）

1. 養田 歩 100% CO₂ という極限における光合成の「未知」化学と工業 68, 709-711 (2015) 査読無

三野享史（京都大学）

1. Mino, T., Murakawa, Y., Fukao, A., Vandenbon, A., Wessels, H.-H., Ori, D., Uehata, T., Tartey, S., Akira, S., Suzuki, Y., Vinuesa, C.G., Ohler, U., Standley, D.M., Landthaler, M., Fujiwara, T., Takeuchi, O. Regnase-1 and Roquin regulate a common element in inflammatory mRNAs by spatiotemporally distinct mechanisms. **Cell** 161, 1058-1073, 2015. 査読有り.
2. Mino, T., Takeuchi, O. Regnase-1 and Roquin regulate inflammatory mRNAs. **Oncotarget** 6, 17869-17870, 2015. 査読有り.

3. 三野享史, 竹内理. Regnase-1 と Roquin による炎症性 mRNA の制御. 『日薬理誌』(日本薬理学会誌出版部). 2016 年 6 月刊行予定.
4. 三野享史. Regnase-1 と Roquin による炎症性 mRNA の制御. 『臨床免疫・アレルギー科』(科学評論社). 2016 年 2 月刊行予定.

村上洋太 (北海道大学)

1. Histone H3K36 trimethylation is essential for multiple silencing mechanisms in fission yeast. Suzuki, S., Kato, H., Suzuki, Y., Chikashige, Y., Hiraoka, Y., Obuse, C., Nagao, K., Kimura, H., Takahata, S., Murakami, Y.: Nuc. Acid. Res. in press (2016) 査読有

守屋央朗 (岡山大学)

1. Makanae K, Kintaka R, Ishikawa K, Moriya H., Small Toxic Protein Encoded on Chromosome VII of *Saccharomyces cerevisiae*., PLOS One. 2015;10(3):e0120678.

八木 健 (大阪大学)

1. Arikuni Uchimura, Mayumi Higuchi, Yohei Minakuchi, Mizuki Ohno, Atsushi Toyoda, Asao Fujiyama, Ikuo Miura, Shigeharu Wakana, Jo Nishino, Takeshi Yagi : Germline mutation rates and the long-term phenotypic effects of mutation accumulation in wild-type laboratory mice and mutator mice: *Genome Research* 25(8), 2015, 1125-1134 査読有
2. Arikuni Uchimura, Yuichiro Hara, Yoichi Gondo, Yusaku Nakabeppu : International Symposium on “Germline Mutagenesis and Biodiversification” *Genes & Genetic Systems* 89, 2014, 93-95 査読有
3. 内村有邦: 生殖系列の変異率と変異蓄積マウス系統: 実験医学: 33 (19), 2015, 3123-3126 査読なし
4. 内村有邦、八木健: 集団遺伝学から考える脳の進化: *Clinical Neuroscience*: Vol.33 8, 2015, 909-911 査読なし

山岡吉生 (大分大学)

1. Binh TT, Suzuki R, Shiota S, Kwon DH, Yamaoka Y. Complete Genome Sequences of *Helicobacter pylori* Clarithromycin-Resistant Strains. *Genome Announc.* 2013 Nov 14;1(6). pii: e00912-13. 査読あり
2. Suzuki R, Shiota S, Yamaoka Y. Molecular epidemiology, population genetics, and pathogenic role of *Helicobacter pylori*. *Infect Genet Evol.* 2012 Mar;12(2):203-13. 査読あり
3. 鈴木留美子, *H. pylori* による人類進化の歴史推定, 日本臨床, 第 71 巻・第 8 号, 2013, 1368-1373, 査読無し
4. Sgouras DN, Trang TT, Yamaoka Y. Pathogenesis of *Helicobacter pylori* Infection. *Helicobacter*. 2015 Sep;20 Suppl 1:8-16. 査読あり
5. Uotani T, Miftahussurur M, Yamaoka Y. Effect of bacterial and host factors on *Helicobacter pylori* eradication therapy. *Expert Opin Ther Targets.* 2015 Aug 6:1-14 査読あり
6. Binh TT, Suzuki R, Trang TT, Kwon DH, Yamaoka Y. Search for novel candidate mutations for metronidazole resistance in *Helicobacter pylori* using next-generation sequencing. *Antimicrob Agents Chemother.* 2015 Apr;59(4):2343-8. 査読あり
7. Binh TT, Suzuki R, Kwon DH, Yamaoka Y. Complete Genome Sequence of a Metronidazole-Resistant *Helicobacter pylori* Strain. *Genome Announc.* 2015 Mar 12;3(2). pii: e00051-15. 査読あり
8. 山岡吉生, 化学療法の領域 30(10), 30-38, 2014, ヘリコバクター・ピロリとは何ものの一病原性の歴史も含めて, 査読なし

9. 山岡吉生, 化学療法の領域 30(5), 100-107, 2014, ヘリコバクター・ピロリの病原因子と分子疫学に関する研究, 査読なし

山口徹太郎 (昭和大学)

1. Yamaguchi T, Nakaoka H, Yamamoto K, Fujikawa T, Kim YI, Yano K, Haga S, Katayama K, Shibusawa T, Park SB, Maki K, Kimura R, Inoue I. Genome-wide association study of degenerative bony changes of the temporomandibular joint. Oral Dis, 20, 2014, 409-415. 査読の有
2. Haga S, Nakaoka H, Yamaguchi T, Yamamoto K, Kim YI, Samoto H, Ohno T, Katayama K, Ishida H, Park SB, Kimura R, Maki K, Inoue I. A genome-wide association study of third molar agenesis in Japanese and Korean populations. J Hum Genet, 58, 2013, 799-803. 査読の有

吉澤 晋 (東京大学)

1. Susumu Yoshizawa, Yohei Kumagai, Hana Kim, Yoshitoshi Ogura, Tetsuya Hayashi, Wataru Iwasaki, Edward F. DeLong and Kazuhiro Kogure (2014) Functional characterization of flavobacteria rhodopsins reveals a unique class of light-driven chloride pump in bacteria. Proceedings of the National Academy of Sciences of the United States of America 111,(18), 6732-6737. (査読有)

吉田聡子 (理化学研究所)

1. 吉田聡子、若竹崇雅、白須賢「遺伝子から見た根寄生植物の生存戦略」(2014) 植物の生長調節 vol. 49, 66-73 (査読なし)
2. Conn, C., Bythell-Douglas, R., Neumann, D., Yoshida, S., Whittington, B., Westwood, J.H., Shirasu, K., Bond, C.S., Dyer, K.A., Nelson, D.C. (2015) Convergent evolution of strigolactone perception enabled host detection in parasitic plants. *Science* 349: 540-543. (査読あり)
3. Ichihashi, Y., Mutuku, J. M., Yoshida, S. and Shirasu, K. (2015) Transcriptomics exposes the uniqueness of parasitic plants. *Brief. Func. Genomics* 14:275-282. (査読あり)
4. Cui, S., Wakatake, T., Hashimoto, K., Saucet, S.B., Toyooka, K., Yoshida, S., Shirasu, K. (2016) Haustorial hairs are specialized root hairs that support parasitism in the facultative parasitic plant, *Phtheirospermum japonicum*. *Plant Physiol. in press*.

和多和宏 (北海道大学)

1. Mori C, Wada K., Audition-independent vocal crystallization associated with intrinsic developmental gene expression dynamics. Journal of Neuroscience. 35: (2015) 878-89. 査読有

渡部 裕 (新潟大学)

1. Makita N, Yagihara N, Crotti L, Johnson CN, Beckmann BM, Roh MS, Shigemizu D, Lichtner P, Ishikawa T, Aiba T, Homfray T, Behr ER, Klug D, Denjoy I, Mastantuono E, Theisen D, Tsunoda T, Satake W, Toda T, Nakagawa H, Tsuji Y, Tsuchiya T, Yamamoto H, Miyamoto Y, Endo N, Kimura A, Ozaki K, Motomura H, Suda K, Tanaka T, Schwartz PJ, Meitinger T, Kaab S, Guicheney P, Shimizu W, Bhuiyan ZA, Watanabe H, Chazin WJ, George AL, Jr. Novel calmodulin mutations associated with congenital arrhythmia susceptibility. Circulation. Cardiovascular genetics. 2014;7:466-474 査読有

(b) 班員による支援高度化等の成果論文

加藤和人 & ELSI ユニット

1. Kazuto Kato, Kei Kano, Tetsuya Shirai, Science Communication: Significance for Genome-Based Personalized Medicine – A View from the Asia-Pacific, *Current Pharmacogenomics and Personalized Medicine*, 8(2), pp.92-96, 2010.
2. 白井哲哉, 加藤和人, 「ゲノム医学と社会」, 『日本医師会雑誌』第 139 巻 第 3 号, pp.620, 2010.
3. 白井哲哉, 加藤和人, 「ゲノム ELSI ユニットの開設」, 『日本生命倫理学会ニューズレター』No.46, p.6, 2010.
4. 加藤和人, 「ゲノムと社会・倫理」, 浅島誠／黒岩常祥／小原雄治編『現代生物科学入門 2 ゲノム科学の展開』, 岩波書店, pp.137-163, 2011.
5. 白井哲哉, 三成寿作, 加藤和人, 「ゲノム研究における『研究ガバナンス』の構築」S8-1, Vol.32 『日本遺伝カウンセリング学会誌』, p.46, 2011.
6. Jane Kaye, Eric M. Meslin, Bartha M. Knoppers, Eric T. Juengst, Mylène Deschênes, Anne Cambon-Thomsen, Donald Chalmers, Jantina De Vries, Kelly Edwards, Nils Hoppe, Alastair Kent, Clement Adebamowo, Patricia Marshall, Kazuto Kato, ELSI 2.0 for Genomics and Society, *Science*, 336, pp.673-674, 2012. 査読有
7. 加藤和人, 「パーソナルゲノム解説の倫理的・社会的課題」, 霜田求／虫明茂責任編集『シリーズ生命倫理 第 12 巻 先端医療』, 丸善出版, pp.220-230, 2012.
8. 加藤和人, 「社会の中の研究 –自由・倫理・ガバナンス」, 広田照幸他編『研究する大学—何のための知識か』(シリーズ大学), 岩波書店, pp.99-133, 2013.
9. 加藤和人, 三成寿作「パーソナルゲノム研究の倫理的課題」, 『BRAIN and NERVE』, Vol.65, pp.267-272, 2013.
10. 加藤和人, 「バイオセキュリティへの取り組み—現場の科学者および多様な人々の参画と協働の必要性」, 四ノ宮成祥・川原直人編『生命科学とバイオセキュリティ—デュアルユース・ジレンマとその対応』, 東信堂, pp.209-214, 2013.
11. 野村安以・吉澤剛「『ヒトゲノム・遺伝子解析研究に関する倫理指針』の改定をめぐる批判的談話分析」, 『年報科学・技術・社会』22 巻, pp.47-88, 2013.
12. 吉澤剛「責任ある研究・イノベーション—ELSI を越えて」, 『研究技術計画』28 巻 1 号, pp.106-121, 2013.
13. 吉澤剛「生命科学技術のバイオセキュリティとガバナンス」, 四ノ宮成祥・川原直人編『生命科学とバイオセキュリティ—デュアルユース・ジレンマとその対応』, 東信堂, pp.181-208, 2013.
14. Timothy Caulfield, Jim Evans, Amy McGuire, Christopher McCabe, Tania Bubela, Robert Cook-Deegan, Jennifer Fishman, Stuart Hogarth, Fiona A. Miller, Vardit Ravitsky, Barbara Biesecker, Pascal Borry, Mildred K Cho, June C. Carroll, Holly Etchegary, Yann Joly, Kazuto Kato, Sandra Soo-Jin lee, Karen Rothenberg, Pamela Sankar, Michael J. Szego, Pilar Ossorio, Daryl Pullman, Francois Rousseau, Wendy J. Ungar, Brenda Wilson. Reflections on the Cost of "Low-Cost" Whole Genome Sequencing: Framing the Health Policy Debate. *PLoS Biology*, 11(11) e1001699, 2013. 査読有
15. 三成寿作, 加藤和人, 「パーソナルゲノム時代の研究ガバナンス」, 『医薬ジャーナル』50 巻, pp.55-58, 2014.
16. Go Yoshizawa, Calvin Wai-Loon Ho, Wei Zhu, Chingli Hu, Yoni Syukriani, Ilhak Lee, Hannah Kim, Daniel Fu Chang Tsai, Jusaku Minari, and Kazuto Kato. ELSI practices in genomic research in East Asia: implications for research collaboration and public participation, *Genome Medicine*, 6(5), pp.39, 2014. 査読有
17. 山本奈津子「ヒトゲノム情報は 21 世紀の新しい石油となるか?—パーソナルゲノム時代の倫理的・法的・社会的課題」, 『医学のあゆみ』第 251 巻 第 3 号, pp.207-212, 2014.

18. Minari J, Shirai T and Kato K. Ethical considerations of research policy for personal genome analysis: The approach of the Genome Science Project in Japan, 10:4 *Life Sciences, Society and Policy*, 2014. 査読有
19. Minari J, Chalmers D and Kato K. Return of Genetic Research Results: The Japanese Experience and its Implications for the International Debate. 11:2 *SCRIPTed*, pp.180-192, 2014. 査読有
20. 吉澤剛, 「医療情報の利用に関する政策の 20 年」, 『医学のあゆみ』, 251 巻 3 号, pp.213-218, 2014.
21. 2014.
22. 山本奈津子, 鈴木正朝, 川嶋実苗, 藤田卓仙, 「個人の遺伝情報の保護における国レベルでのルール形成に向けた試論 —個人情報保護法とその改正法を中心に」, 『医療・生命と倫理・社会』 第 12 号, pp. 115-123, 2015.
23. Natsuko Yamamoto, Minae Kawashima, Takanori Fujita, Masatomo Suzuki and Kazuto Kato. How should the legal framework for the protection of human genomic data be formulated?—Implications from the revision processes of the Act on the Protection of Personal Information (PPI Act). *Journal of Human Genetics*, doi:10.1038/jhg.2014.121, 2015. 査読有
24. Kazuto Kato. Ethics of stem cell research – learning from human genome ELSI research, *Proceedings of Uehara-Carnegie-Oxford Conference*, 2015. (in press)

山本健

1. Nakatochi M, Ichihara S, Yamamoto K, Ohnaka K, Kato Y, Yokota S, Hirashiki A, Naruse K, Asano H, Izawa H, Matsubara T, Yokota M: Epigenome-wide association study suggests that SNPs in the promoter region of RETN influence plasma resistin level via effects on DNA methylation at neighboring sites. **Diabetologia** 2015; 58: 2781-2790. 査読あり
2. Kato N, Loh M, Takeuchi F, Verweij N, Wang X, Zhang W, Kelly TN, Saleheen D, Lehne B, Leach IM, Drong AW, Abbott J, Wahl S, Tan ST, Scott WR, Campanella G, Chadeau-Hyam M, Afzal U, Ahluwalia TS, Bonder MJ, Chen P, Dehghan A, Edwards TL, Esko T, Go MJ, Harris SE, Hartiala J, Kasela S, Kasturiratne A, Khor CC, Kleber ME, Li H, Mok ZY, Nakatochi M, Sapari NS, Saxena R, Stewart AF, Stolk L, Tabara Y, Teh AL, Wu Y, Wu JY, Zhang Y, Aits I, Da Silva Couto Alves A, Das S, Dorajoo R, Hopewell JC, Kim YK, Koivula RW, Luan J, Lyytikäinen LP, Nguyen QN, Pereira MA, Postmus I, Raitakari OT, Bryan MS, Scott RA, Sorice R, Tragante V, Traglia M, White J, Yamamoto K, Zhang Y, Adair LS, Ahmed A, Akiyama K, Asif R, Aung T, Barroso I, Bjorntjes A, Braun TR, Cai H, Chang LC, Chen CH, Cheng CY, Chong YS, Collins R, Courtney R, Davies G, Delgado G, Do LD, Doevendans PA, Gansevoort RT, Gao YT, Grammer TB, Grarup N, Grewal J, Gu D, Wander GS, Hartikainen AL, Hazen SL, He J, Heng CK, Hixson JE, Hofman A, Hsu C, Huang W, Husemoen LL, Hwang JY, Ichihara S, Igase M, Isono M, Justesen JM, Katsuya T, Kibriya MG, Kim YJ, Kishimoto M, Koh WP, Kohara K, Kumari M, Kwek K, Lee NR, Lee J, Liao J, Lieb W, Liewald DC, Matsubara T, Matsushita Y, Meitinger T, Mihailov E, Milani L, Mills R, Mononen N, Müller-Nurasyid M, Nabika T, Nakashima E, Ng HK, Nikus K, Nutile T, Ohkubo T, Ohnaka K, Parish S, Paternoster L, Peng H, Peters A, Pham ST, Pinidiyapathirage MJ, Rahman M, Rakugi H, Rolandsson O, Rozario MA, Ruggiero D, Sala CF, Sarju R, Shimokawa K, Snieder H, Sparsø T, Spiering W, Starr JM, Stott DJ, Stram DO, Sugiyama T, Szymczak S, Tang WH, Tong L, Trompet S, Turjanmaa V, Ueshima H, Uitterlinden AG, Umemura S, Vaarasmaki M, van Dam RM, van Gilst WH, van Veldhuisen DJ, Viikari JS, Waldenberger M, Wang Y, Wang A, Wilson R, Wong TY, Xiang YB, Yamaguchi S, Ye X, Young RD, Young TL, Yuan JM, Zhou X, Asselbergs FW, Ciullo M, Clarke R, Deloukas P, Franke A, Franks PW, Franks S, Friedlander Y, Gross MD, Guo Z, Hansen T, Jarvelin MR, Jørgensen T, Jukema JW, Kähönen M, Kajio H,

- Kivimäki M, Lee JY, Lehtimäki T, Linneberg A, Miki T, Pedersen O, Samani NJ, Sørensen TI, Takayanagi R, Toniolo D; BIOS-consortium; CARDIo GRAMplusCD; LifeLines Cohort Study; InterAct Consortium, Ahsan H, Allayee H, Chen YT, Danesh J, Deary IJ, Franco OH, Franke L, Heijman BT, Holbrook JD, Isaacs A, Kim BJ, Lin X, Liu J, März W, Metspalu A, Mohlke KL, Sanghera DK, Shu XO, van Meurs JB, Vithana E, Wickremasinghe AR, Wijmenga C, Wolffenbuttel BH, Yokota M, Zheng W, Zhu D, Vineis P, Kyrtopoulos SA, Kleinjans JC, McCarthy MI, Soong R, Gieger C, Scott J, Teo YY, He J, Elliott P, Tai ES, van der Harst P, Kooner JS, Chambers JC: Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. **Nat Genet.** 2015; 47: 1282-1293. 査読有り
3. Fares-Taie L, Gerber S, Tawara A, Ramirez-Miranda A, Douet JY, Verdin H, Guilloux A, Zenteno JC, Kondo H, Moisset H, Passet B, Yamamoto K, Iwai M, Tanaka T, Nakamura Y, Kimura W, Bole-Feysot C, Vilotte M, Odent S, Vilotte JL, Munnich A, Regnier A, Chassaing N, De Baere E, Raymond-Letron I, Kaplan J, Calvas P, Roche O, Rozet JM: Submicroscopic deletions at 13q32.1 cause congenital microcoria. **Am J Hum Genet.** 2015; 96: 631-639. 査読有り
 4. He M, Xu M, Zhang B, Liang J, Chen P, Lee JY, Johnson TA, Li H, Yang X, Dai J, Liang L, Gui L, Qi Q, Huang J, Li Y, Adair LS, Aung T, Cai Q, Cheng CY, Cho MC, Cho YS, Chu M, Cui B, Gao YT, Go MJ, Gu D, Gu W, Guo H, Hao Y, Hong J, Hu Z, Hu Y, Huang J, Hwang JY, Ikram MK, Jin G, Kang DH, Khor CC, Kim BJ, Kim HT, Kubo M, Lee J, Lee J, Lee NR, Li R, Li J, Liu J, Long J, Lu W, Lu X, Miao X, Okada Y, Ong RT, Qiu G, Seielstad M, Sim X, Song H, Takeuchi F, Tanaka T, Taylor PR, Wang L, Wang W, Wang Y, Wu C, Wu Y, Xiang YB, Yamamoto K, Yang H, Liao M, Yokota M, Young T, Zhang X, Kato N, Wang QK, Zheng W, Hu FB, Lin D, Shen H, Teo YY, Mo Z, Wong TY, Lin X, Mohlke KL, Ning G, Tsunoda T, Han BG, Shu XO, Tai ES, Wu T, Qi L. Meta-analysis of genome-wide association studies of adult height in East Asians identifies 17 novel loci. **Hum Mol Genet.** 2015; 24: 1791-1800. 査読有り
 5. Sato T, Nakagome S, Watanabe C, Yamaguchi K, Kawaguchi A, Koganebuchi K, Haneji K, Yamaguchi T, Hanihara T, Yamamoto K, Ishida H, Mano S, Kimura R, Oota H: Genome-Wide SNP Analysis Reveals Population Structure and Demographic History of the Ryukyu Islanders in the Southern Part of the Japanese Archipelago. **Mol Biol Evol.** 2014; 31: 2929-2940. 査読有り
 6. Wen W, Zheng W, Okada Y, Takeuchi F, Tabara Y, Hwang JY, Dorajoo R, Li H, Tsai FJ, Yang X, He J, Wu Y, He M, Zhang Y, Liang J, Guo X, Sheu WH, Delahanty R, Guo X, Kubo M, Yamamoto K, Ohkubo T, Go MJ, Liu JJ, Gan W, Chen CC, Gao Y, Li S, Lee NR, Wu C, Zhou X, Song H, Yao J, Lee IT, Long J, Tsunoda T, Akiyama K, Takashima N, Cho YS, Ong RT, Lu L, Chen CH, Tan A, Rice TK, Adair LS, Gui L, Allison M, Lee WJ, Cai Q, Isomura M, Umemura S, Kim YJ, Seielstad M, Hixson J, Xiang YB, Isono M, Kim BJ, Sim X, Lu W, Nabika T, Lee J, Lim WY, Gao YT, Takayanagi R, Kang DH, Wong TY, Hsiung CA, Wu IC, Juang JM, Shi J, Choi BY, Aung T, Hu F, Kim MK, Lim WY, Wang TD, Shin MH, Lee J, Ji BT, Lee YH, Young TL, Shin DH, Chun BY, Cho MC, Han BG, Hwu CM, Assimes TL, Absher D, Yan X, Kim E, Kuo JZ, Kwon S, Taylor KD, Chen YD, Rotter JI, Qi L, Zhu D, Wu T, Mohlke KL, Gu D, Mo Z, Wu JY, Lin X, Miki T, Tai ES, Lee JY, Kato N, Shu XO, Tanaka T: Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. **Hum Mol Genet.** 2014; 23: 5492-5504. 査読有り
 7. Chen P, Takeuchi F, Lee JY, Li H, Wu JY, Liang J, Long J, Tabara Y, Goodarzi MO, Pereira MA, Kim YJ, Go MJ, Stram DO, Vithana E, Khor CC, Liu J, Liao J, Ye X, Wang Y, Lu L, Young TL, Lee J, Thai AC, Cheng CY, van Dam RM, Friedlander Y, Heng CK, Koh WP, Chen CH, Chang LC, Pan WH, Qi Q, Isono M, Zheng W, Cai Q, Gao Y, Yamamoto K, Ohnaka K, Takayanagi R, Kita Y, Ueshima H, Hsiung CA, Cui J, Huey-Herng Sheu W, Rotter JI, Chen YD, Hsu C, Okada Y, Kubo M, Takahashi A, Tanaka T, van Rooij FJ, Ganesh SK, Huang J, Huang T; Hematology

- CHARGE Group Working, Gross MD, Assimes TL, Miki T, Shu XO, Qi L, Chen YT, Lin X, Aung T, Wong TY, Teo YY, Kim BJ, Kato N, Tai ES: Multiple non-glycemic genomic loci are newly associated with blood level of glycated hemoglobin in east asians. **Diabetes** 2014; 63: 2551-2562. 査読有り
8. DIAbetes Genetics Replication And Meta-analysis (DIAGRAM) Consortium; Asian Genetic Epidemiology Network Type 2 Diabetes (AGEN-T2D) Consortium; South Asian Type 2 Diabetes (SAT2D) Consortium; Mexican American Type 2 Diabetes (MAT2D) Consortium; Type 2 Diabetes Genetic Exploration by Nex-generation sequencing in muylti-Ethnic Samples (T2D-GENES) Conrortium: Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. **Nat Genet.** 2014; 46: 234-244. 査読有り
 9. Wu Y, Gao H, Li H, Tabara Y, Nakatochi M, Chiu YF, Park EJ, Wen W, Adair LS, Borja JB, Cai Q, Chang YC, Chen P, Croteau-Chonka DC, Fogarty MP, Gan W, He CT, Hsiung CA, Hwu CM, Ichihara S, Igase M, Jo J, Kato N, Kawamoto R, Kuzawa CW, Lee JJ, Liu J, Lu L, McDade TW, Osawa H, Sheu WH, Teo Y, Vadlamudi S, van Dam RM, Wang Y, Xiang YB, Yamamoto K, Ye X, Young TL, Zheng W, Zhu J, Shu XO, Shin C, Jee SH, Chuang LM, Miki T, Yokota M, Lin X, Mohlke KL, Tai ES: A meta-analysis of genome-wide association studies for adiponectin level in East Asians identifies a novel locus near WDR11-FGFR2. **Hum Mol Genet.** 23: 1108-1119, 2014. 査読有り
 10. Ichihara S, Yamamoto K, Asano H, Nakatochi M, Sukegawa M, Ichihara G, Izawa H, Hirashiki A, Takatsu F, Umeda H, Iwase M, Inagaki H, Hirayama H, Sone T, Nishigaki K, Minatoguchi S, Cho MC, Jang Y, Kim HS, Park JE, Tada-Oikawa S, Kitajima H, Matsubara T, Sunagawa K, Shimokawa H, Kimura A, Lee JY, Murohara T, Inoue I, Yokota M: Identification of a Glutamic Acid Repeat Polymorphism of ALMS1 as a Novel Genetic Risk Marker for Early-Onset Myocardial Infarction by Genome-Wide Linkage Analysis. **Circ Cardiovasc Genet.** 6: 569-578, 2013. 査読有り
 11. Ling H, Spizzo R, Atlasi Y, Nicoloso M, Shimizu M, Redis RS, Nishida N, Gafà R, Song J, Guo Z, Ivan C, Barbarotto E, De Vries I, Zhang X, Ferracin M, Churchman M, van Galen JF, Beverloo BH, Shariati M, Haderk F, Estecio MR, Garcia-Manero G, Patijn GA, Gotley DC, Bhardwaj V, Shureiqi I, Sen S, Multani AS, Welsh J, Yamamoto K, Taniguchi I, Song MA, Gallinger S, Casey G, Thibodeau SN, Le Marchand L, Tiirikainen M, Mani SA, Zhang W, Davuluri RV, Mimori K, Mori M, Sieuwerts AM, Martens JW, Tomlinson I, Negrini M, Berindan-Neagoe I, Foekens JA, Hamilton SR, Lanza G, Kopetz S, Fodde R, Calin GA: CCAT2, a novel noncoding RNA mapping to 8q24, underlies metastatic progression and chromosomal instability in colon cancer. **Genome Res.** 23: 1446-1461, 2013. 査読有り
 12. Takeuchi F, Yokota M, Yamamoto K, Nakashima E, Katsuya T, Asano H, Isono M, Nabika T, Sugiyama T, Fujioka A, Awata N, Ohnaka K, Nakatochi M, Kitajima H, Rakugi H, Nakamura J, Ohkubo T, Imai Y, Shimamoto K, Yamori Y, Yamaguchi S, Kobayashi S, Takayanagi R, Ogihara T, Kato N: Genome-wide association study of coronary artery disease in the Japanese. **Eur J Hum Genet.** 20: 333-340, 2012. 査読有り
 13. Wen W, Cho YS, Zheng W, Dorajoo R, Kato N, Qi L, Chen CH, Delahanty RJ, Okada Y, Tabara Y, Gu D, Zhu D, Haiman CA, Mo Z, Gao YT, Saw SM, Go MJ, Takeuchi F, Chang LC, Kokubo Y, Liang J, Hao M, Le Marchand L, Zhang Y, Hu Y, Wong TY, Long J, Han BG, Kubo M, Yamamoto K, Su MH, Miki T, Henderson BE, Song H, Tan A, He J, Ng DP, Cai Q, Tsunoda T, Tsai FJ, Iwai N, Chen GK, Shi J, Xu J, Sim X, Xiang YB, Maeda S, Ong RT, Li C, Nakamura Y, Aung T, Kamatani N, Liu JJ, Lu W, Yokota M, Seielstad M, Fann CS; The Genetic Investigation of ANthropometric Traits (GIANT) Consortium, Wu JY, Lee JY, Hu FB, Tanaka T, Tai ES, Shu XO: Meta-analysis identifies common variants associated with body mass index in east Asians. **Nat Genet.** 44: 307-311, 2012. 査読有り
 14. Cho YS, Chen CH, Hu C, Long J, Ong RTH, Sim X, Takeuchi F, Wu Y, Go MJ, Yamauchi T,

- Chang YC, Kwak SH, Ma R, Yamamoto K, Adair LS, Aung T, Cai Q, Chang LC, Chen YT, Gao Y, Hu FB, Kim HL, Kim S, Kim YJ, Lee J, Lee N, Li Y, Liu J, Lu W, Nakamura J, Nakashima E, Ng DPK, Tay WT, Tsai FJ, Wong TY, Yokota M, Zheng W, Zhang R, Wang C, So WY, Ohnaka K, Ikegami H, Hara K, Cho YM, Cho N, Chang TJ, Bao Y, Hedman A, Morris A, McCarthy M, DIAGRAM CONSORTIUM, MuTHER consortium, Takayanagi R, Park KS, Jia W, Chuang LM, Chan J, Maeda S, Kadowaki T, Lee JY, Wu JY, Teo YY, Tai ES, Shu XO, Mohlke K, Kato N, Han BG, Seielstad M: East Asian Genome-Wide Association Meta-Analysis Identifies 8 New Loci for Type 2 Diabetes. **Nat Genet.** 44: 67-72, 2012. 査読有り
15. Kato N, Takeuchi F, Tabara Y, Kelly TN, Go MJ, Sim X, Tay WT, Chen CH, Zhang Y, Yamamoto K, Katsuya T, Yokota M, Kim YJ, Ong RT, Nabika T, Gu D, Chang LC, Kokubo Y, Huang W, Ohnaka K, Yamori Y, Nakashima E, Jaquish CE, Lee JY, Seielstad M, Isono M, Hixson JE, Chen YT, Miki T, Zhou X, Sugiyama T, Jeon JP, Liu JJ, Takayanagi R, Kim SS, Aung T, Sung YJ, Zhang X, Wong TY, Han BG, Kobayashi S, Ogihara T, Zhu D, Iwai N, Wu JY, Teo YY, Tai ES, Cho YS, He J: Meta-analysis of genome-wide association studies identifies common variants associated with blood pressure variation in east Asians. **Nat Genet.** 43: 531-538, 2011. 査読有り
 16. Kukita Y, Yahara K, Tahira T, Higasa K, Sonoda M, Yamamoto K, Kato K, Wake N, Hayashi K: A definitive haplotype map as determined by genotyping duplicated haploid genomes finds a predominant haplotype preference at copy number variation events. **Am J Hum Genet.** 86: 918-928, 2010. 査読有り
 17. Takeuchi F, Isono M, Katsuya T, Yamamoto K, Yokota M, Sugiyama T, Nabika T, Fujioka A, Ohnaka K, Nakatochi M, Yamori Y, Yamaguchi S, Kobayashi S, Takayanagi R, Ogihara T, Kato N: Blood pressure and hypertension are associated with seven loci in the Japanese population. **Circulation** 121: 2302-2309, 2010. 査読有り

情報解析支援班

黒川顕

1. Mori, H., Maruyama, F., and Kurokawa, K. VITCOMIC: visualization tool for taxonomic compositions of microbial communities based on 16S rRNA gene sequences., *BMC Bioinfo.*, 11:332, 2010. 査読あり
2. Tsuda M, Fujiyama A, Kurokawa K (2011) Metagenomic analysis of response of soil microbiota to environmental change. *Genes Genet. Syst.*, 86:404-404. 査読あり
3. Suzuki S, Ishida T, Kurokawa K, Akiyama Y (2012) GHOSTM: A GPU-accelerated homology search tool for metagenomics. *PLoS one*, 7(5):e36060., doi: 10.1371/journal.pone.0036060 査読あり
4. Sawabe T, Ogura Y, Matsumura Y, Gao F, Amin A, Mino S, Nakagawa S, Sawabe T, Kumar R, Fukui Y, Satomi M, Matsushima R, Thompson F, Gomez-Gil B, Christen R, Maruyama F, Kurokawa K, Hayashi T (2013) Updating the *Vibrio* clades defined by multilocus sequence phylogeny: Proposal of eight new clades, and the description of *Vibrio tritonius* sp. nov.. *Frontiers in Aquatic Microbiol.* 4:1-14. 10.3389/fmicb.2013.00414 査読あり
5. Yano M, Mori H, Akiyama Y, Yamada T, Kurokawa K (2014) CLAST: CUDA implemented large-scale alignment search tool. *BMC Bioinfo.*, 15:406. doi:10.1186/s12859-014-0406-y 査読あり
6. Wang T, Mori H, Zhang C, Kurokawa K, Xing XH, Yamada T (2015) DomSign: a top-down annotation pipeline to enlarge enzyme space in the protein universe. *BMC Bioinfo.*, 16:96. doi: 10.1186/s12859-015-0499-y 査読あり
7. Uchiyama T, Irie M, Mori H, Kurokawa K, Yamada T (2015) FuncTree: Functional analysis and visualization for large-scale omics data. *PLoS One*, 10(5): e0126967, doi: 10.1371/journal.pone.0126967. 査読あり

8. 黒川顕(2011) 微生物統合データベース”MicrobeDB.JP”, 細胞工学, vol.30, No.12. 査読無し
9. 森宙史, 山田拓司, 黒川顕 (2012) メタゲノム解析の現状と将来, 情報管理, 55(3):167-175. 査読無し
10. 森宙史, 山田拓司, 黒川顕 (2013) ヒトメタゲノムの大規模コホート研究, 生物の科学「遺伝」, 67(3):279-282. 査読無し

伊藤武彦

1. Kajitani R, Toshimoto K, Noguchi H, Toyoda A, Ogura Y, Okuno M, Yabana M, Harada M, Nagayasu E, Maruyama H, Kohara Y, Fujiyama A, Hayashi T, Itoh T. (2014) Efficient de novo assembly of highly heterozygous genomes from whole-genome shotgun short reads., *Genome Res.*, 24(8):1384-95. doi: 10.1101/gr.170720.113. (査読有)

中村保一

2. Bowman JL, Araki T, Arteaga-Vazquez MA, Berger F, Dolan L, Haseloff J, Ishizaki K, Kyoizuka J, Lin SS, Nagasaki H, Nakagami H, Nakajima K, Nakamura Y, Ohashi-Ito K, Sawa S, Shimamura M, Solano R, Tsukaya H, Ueda T, Watanabe Y, Yamato KT, Zachgo S, Kohchi T. (2015) The naming of names: guidelines for gene nomenclature in Marchantia. *Plant Cell Physiol.*, pii: pcv193. (査読有)
3. Mashima J, Kodama Y, Kosuge T, Fujisawa T, Katayama T, Nagasaki H, Okuda Y, Kaminuma E, Ogasawara O, Okubo K, Nakamura Y, Takagi T. (2015) DNA data bank of Japan (DDBJ) progress report. *Nucleic Acids Res.*, pii: gkv1105. (査読有)
4. Kobayashi M, Nagasaki H, Garcia V, Just D, Bres C, Mauxion JP, Le Paslier MC, Brunel D, Suda K, Minakuchi Y, Toyoda A, Fujiyama A, Toyoshima H, Suzuki T, Igarashi K, Rothan C, Kaminuma E, Nakamura Y, Yano K, Aoki K. (2014) Genome-Wide Analysis of Intraspecific DNA Polymorphism in ‘Micro-Tom’, a Model Cultivar of Tomato (*Solanum lycopersicum*). *Plant Cell Physiol.*, 55(2): 445-454 doi: 10.1093/pcp/pct181. (査読有)
5. Iida N, Yamao F, Nakamura Y, Iida T. (2014) Mudi, a web tool for identifying mutations by bioinformatics analysis of whole-genome sequence. *Genes to Cells*, 19(6): 517-527. doi: 10.1111/gtc.12151. (査読有)
6. Nagasaki H, Mochizuki T, Kodama Y, Saruhashi S, Morizaki S, Sugawara H, Ohyanagi H, Kurata N, Okubo K, Takagi T, Kaminuma E, Nakamura Y. (2013) DDBJ Read Annotation Pipeline: A Cloud Computing-Based Pipeline for High-Throughput Analysis of Next-Generation Sequencing Data. *DNA Res.*, 20(4): 383-390. doi: 10.1093/dnares/dst017. (査読有)

平川英樹

1. Kosugi S, Hirakawa H, Tabata S. (2015) GMcloser: closing gaps in assemblies accurately with a likelihood-based selection of contig or long-read alignments. *Bioinformatics*, 31(23):3733-41. doi: 10.1093/bioinformatics/btv465. (査読あり)

岩崎渉

1. Kumagai Y, Yoshizawa S, Oshima K, Hattori M, Iwasaki W, Kogure K (2014) Complete genome sequence of Winogradskyella sp. strain PG-2, a proteorhodopsin-containing marine flavobacterium, *Genome Announc.*, 2:e00490-14. doi: 10.1128/genomeA.00490-14. (査読有)
2. Hirase S, Ozaki H, Iwasaki W (2014) Parallel selection on gene copy number variations through evolution of three-spined stickleback genomes, *BMC Genomics*, 15:735. doi:

- 10.1186/1471-2164-15-735. (査読有)
3. 尾崎遼, 岩崎渉 (2014) NGS データ解析, 実験医学, 32:3197-202. (総説、査読無)
 4. Ishizu H, Iwasaki YW, Hirakata S, Ozaki H, Iwasaki W, Siomi H, Siomi MC (2015) Somatic primary piRNA biogenesis driven by cis-acting RNA elements and trans-acting Yb, *Cell Rep.*, 12:429-40. doi: 10.1016/j.celrep.2015.06.035. (査読有)
 5. Miya M, Sato Y, Fukunaga T, Sado T, Poulsen JY, Sato K, Minamoto T, Yamamoto S, Yamanaka H, Araki H, Kondoh M, Iwasaki W (2015) MiFish, a set of universal PCR primers for metabarcoding environmental DNA from fishes: detection of more than 230 subtropical marine species, *Roy. Soc. Open Sci.*, 2:150088. doi: 10.1098/rsos.150088. (査読有)
 6. Takashima M, Manabe R, Iwasaki W, Ohyama A, Ohkuma M, Sugita T (2015) Selection of orthologous genes for construction of a highly resolved phylogenetic tree and clarification of the phylogeny of Trichosporonales species, *PLOS ONE*, 10:e0131217. doi: 10.1371/journal.pone.0131217. (査読有)
 7. 岩崎由香, 岩崎渉 (2015) ncRNA のバイオイノフォーマティクス解析, 実験医学, 33:3379-84. (総説、査読無)
 8. 岩崎渉, 佐藤行人, 源利文, 山中裕樹, 荒木仁志, 宮正樹 (2015) 環境 DNA 解析のインパクト, 実験医学, 34:103-7. (総説、査読無)
 9. Ozaki H, Iwasaki W (2016) MOCCS: clarifying DNA-binding motif ambiguity using ChIP-Seq data, *Comput. Biol. Chem.*, in press. (査読有)
 10. Hiraoka S, Machiyama A, Ijichi M, Inoue K, Oshima K, Hattori M, Yoshizawa S, Kogure K, and Iwasaki W (2016) Genomic and metagenomic analysis of microbes in a soil environment affected by the 2011 Great East Japan Earthquake Tsunami, *BMC Genomics*, in press. (査読有)

森下真一

1. Nakatani Y, Mello CC, Hashimoto S, Shimada A, Nakamura R, Tsukahara T, Qu W, Yoshimura J, Suzuki Y, Sugano S, Takeda H, Fire A, Morishita S. (2015). Associations between nucleosome phasing, sequence asymmetry, and tissue-specific expression in a set of inbred Medaka species. *BMC Genomics*, 16(1), 978. 査読有
2. Ichikawa, K., Morishita, S. (2015). A linear time algorithm for detecting long genomic regions enriched with a specific combination of epigenetic states. *BMC Genomics*, 16(Suppl 2), S8. 査読有
3. Yamashita S, Mori A, Nishida Y, Kurisaki R, Tawara N, Nishikami T, Misumi Y, Ueyama H, Imamura S, Higuchi Y, Hashiguchi A, Higuchi I, Morishita S, Yoshimura J, Uchino M, Takashima H, Tsuji S, Ando Y. (2015). Clinicopathological features of the first Asian family having vocal cord and pharyngeal weakness with distal myopathy due to a MATR3 mutation. *Neuropathology and Applied Neurobiology*, 41(3), 391–398. 査読有
4. Koichiro Doi, Taku Monjo, Pham H. Hoang, Jun Yoshimura, Hideaki Yurino, Jun Mitsui, Hiroyuki Ishiura, Yuji Takahashi, Yaeko Ichikawa, Jun Goto, Shoji Tsuji, Shinichi Morishita (2014) Rapid detection of expanded short tandem repeats in personal genomics using hybrid sequencing. *Bioinformatics* 30(6): 815-822 査読有
5. Kazuki Ichikawa, Shinichi Morishita (2014) A Simple but Powerful Heuristic Method for Accelerating k-Means Clustering of Large-Scale Data in Life Science. *IEEE/ACM Trans. Comput. Biology Bioinform.* 11(4): 681-692 査読有
6. Nishimura T, Herpin A, Kimura T, Hara I, Kawasaki T, Nakamura S, Yamamoto Y, Saito TL, Yoshimura J, Morishita S, Tsukahara T, Kobayashi S, Naruse K, Shigenobu S, Sakai N, Scharlt M, Tanaka M. (2014). Analysis of a novel gene, Sdgc, reveals sex chromosome-dependent differences of medaka germ cells prior to gonad formation. *Development*, 141(17), 3363–3369. 査読有

7. Isojima T, Doi K, Mitsui J, Oda Y, Tokuhiko E, Yasoda A, Yorifuji T, Horikawa R, Yoshimura J, Ishiura H, Morishita S, Tsuji S, Kitanaka S. (2014). A recurrent de novo FAM111A mutation causes Kenny-Caffey syndrome type 2. *Journal of Bone and Mineral Research : The Official Journal of the American Society for Bone and Mineral Research*, 29(4), 992–998. 査読有
8. Saito TL, Hashimoto SI, Gu SG, Morton JJ, Stadler M, Blumenthal T, Fire A, Morishita S. The Transcription Start Site Landscape of *C. elegans*. *Genome Research* 23(8):1348-61 (2013) 査読有
9. Takahashi Y, Fukuda Y, Yoshimura J, Toyoda A, Kurppa K, Moritoyo H, Belzil VV, Dion PA, Higasa K, Doi K, Ishiura H, Mitsui J, Date H, Ahsan B, Matsukawa T, Ichikawa Y, Moritoyo T, Ikoma M, Hashimoto T, Kimura F, Murayama S, Onodera O, Nishizawa M, Yoshida M, Atsuta N, Sobue G, JaCALs, Fifita JA, Williams KL, Blair IP, Nicholson GA, Gonzalez-Perez P, Brown RH Jr, Nomoto M, Elenius K, Rouleau GA, Fujiyama A, Morishita S, Goto J, Tsuji S. (2013). Erbb4 mutations that disrupt the neuregulin-erbb4 pathway cause amyotrophic lateral sclerosis type 19. *American Journal of Human Genetics*, 93(5), 900–905. 査読有
10. Zhao, Q., Zhu, Z., Kasahara, M., Morishita, S., Zhang, Z. (2013). Segmental duplications in the silkworm genome. *BMC Genomics*, 14(1), 521. 査読有
11. Ichikawa Y, Ishiura H, Mitsui J, Takahashi Y, Kobayashi S, Takuma H, Kanazawa I, Doi K, Yoshimura J, Morishita S, Goto J, Tsuji S. (2013). Exome analysis reveals a Japanese family with spinocerebellar ataxia, autosomal recessive 1. *Journal of the Neurological Sciences*, 331(1-2), 158–60. 査読有
12. Ishikawa T, Okada T, Ishikawa-Fujiwara T, Todo T, Kamei Y, Shigenobu S, Tanaka M, Saito TL, Yoshimura J, Morishita S, Toyoda A, Sakaki Y, Taniguchi Y, Takeda S, Mori K. (2013). ATF6 α/β -mediated adjustment of ER chaperone levels is essential for development of the notochord in medaka fish-Supplemental material. *Molecular Biology of the Cell*, 24(9), 1387–95. 査読有
13. Hashimoto S, Ogoshi K, Sasaki A, Abe J, Qu W, Nakatani Y, Ahsan B, Oshima K, Shand FH, Ametani A, Suzuki Y, Kaneko S, Wada T, Hattori M, Sugano S, Morishita S, Matsushima K. (2013). Coordinated changes in DNA methylation in antigen-specific memory CD4 T cells. *J Immunol*, 190(8), 4076–4091. 査読有
14. Qu W, Hashimoto S, Shimada A, Nakatani Y, Ichikawa K, Saito TL, Ogoshi K, Matsushima K, Suzuki Y, Sugano S, Takeda H, Morishita S. (2012) Genome-wide genetic variations are highly correlated with proximal DNA methylation patterns. *Genome Research*, 22(8):1419-25 査読有
15. Ogoshi, K., Hashimoto, S., Nakatani, Y., Qu, W., Oshima, K., Tokunaga, K., Sugano, S., Hattori, M., Morishita, S., Matsushima, K. (2011). Genome-wide profiling of DNA methylation in human cancer cells. *Genomics*, 98(4), 280–287. 査読有
16. Funakoshi, M., Tsuda, M., Muramatsu, K., Hatsuda, H., Morishita, S., Aigaki, T. (2011). A gain-of-function screen identifies wdb and lkb1 as lifespan-extending genes in Drosophila. *Biochemical and Biophysical Research Communications*, 405(4), 667–72. 査読有
17. Kuroshu, R. M., Watanabe, J., Sugano, S., Morishita, S., Suzuki, Y., Kasahara, M. (2010). Cost-Effective Sequencing of Full-Length cDNA Clones Powered by a De Novo-Reference Hybrid Assembly. *PLoS ONE*, 5(5), e10517. 査読有
18. Hongyan Wu, Taro L Saito, Shinichi Morishita. (2010) Accelerating Path-free XML Queries in RDBMS. *IPSJ Online Transactions*. Vol. 3, pp.206-217 査読有
19. 森下真一 「次世代高速シーケンサーの特性と情報処理」 蛋白質核酸酵素 Vol.54, No.10 (2009)
20. 森下真一 「生命情報学-ゲノム情報ビッグバンの進展-」 情報処理 Vol.51 No.6 (2010)
21. 森下真一 「第三世代シーケンサー」 医学のあゆみ Vol.236, No.6 (2011)
22. 森下真一 「パーソナルゲノムインフォマティクス」 実験医学 Vol.31, No.15 (2013)
23. 森下真一 「個人ゲノム解析のためのゲノムインフォマティクス」 遺伝子医学 MOOK 別冊 シリーズ：最新遺伝医学研究と遺伝カウンセリング (印刷中)

24. 森下真一 「PacBio 1 分子実時間シーケンシングによるゲノム、トランスクリプトーム、エピゲノム解析」 羊土社 実験医学 (印刷中)

浅井 潔

1. Junichi Iwakiri, Michiaki Hamada, Kiyoshi Asai (2015) Bioinformatics tools for lncRNA research. *Biochimica et biophysica acta (BBA) Gene Regulatory Mechanisms* Available online 10 August 2015. doi:10.1016/j.bbagr.2015.07.014 (査読あり)
2. Tsutomu Ikegami, Toyohiro Inatsugi, Isao Kojima, Myco Umemura, Hiroko Hagiwara, Masayuki Machida, Kiyoshi Asai (2015) Hybrid De Novo Genome Assembly Using MiSeq and SOLiD Short Read Data. *PLoS ONE* 10(4): e0126289. DOI: 10.1371/journal.pone.0126289 (査読あり)
3. Michiaki Hamada, Yukiteru Ono, Ryohei Fujimaki, Kiyoshi Asai (2015) Learning chromatin states with factorized information criteria. *Bioinformatics* 31(15) 2426-2433. doi: 10.1093/bioinformatics/btv163 (査読あり)
4. Haruka Yonemoto, Kiyoshi Asai, Michiaki Hamada (2015) A semi-supervised learning approach for RNA secondary structure prediction. *Computational biology and chemistry* 57: 72-79. (査読あり)
5. Ryota Mori, Michiaki Hamada, Kiyoshi Asai (2014) Efficient calculation of exact probability distributions of integer features on RNA secondary structures, *BMC Genomics*, 15(Suppl 10):S6. doi:10.1186/1471-2164-15-S10-S6 (査読あり)
6. Edward Wijaya, Kana Shimizu, Kiyoshi Asai, Michiaki Hamada (2014) Reference-free prediction of rearrangement breakpoint reads. *Bioinformatics* 30: 18. 2559-2567 (査読あり)
7. Tsukasa Fukunaga, Haruka Ozaki, Goro Terai, Kiyoshi Asai, Wataru Iwasaki, Hisanori Kiryu (2014) CapR: revealing structural specificities of RNA-binding protein target recognition using CLIP-seq data. *Genome biology* 15: 1. (査読あり)
8. Junichi Iwakiri, Tomoshi Kameda, Kiyoshi Asai, Michiaki Hamada (2013) Analysis of base-pairing probabilities of RNA molecules involved in protein-RNA interactions. *Bioinformatics* 29: 20. 2524-2528. (査読あり)
9. Haruka Yonemoto, Kiyoshi Asai, Michiaki Hamada (2013) CentroidAlign-Web: A Fast and Accurate Multiple Aligner for Long Non-Coding RNAs. *International journal of molecular sciences* 14: 3. 6144-6156. (査読あり)
10. Wijaya E, Frith MC, Horton P, Asai K (2013) Finding Protein-Coding Genes through Human Polymorphisms. *PLoS ONE* 8(1): e54210. (査読あり)
11. Yukiteru Ono, Kiyoshi Asai, Michiaki Hamada (2013) PBSIM: PacBio reads simulator--toward accurate genome assembly. *Bioinformatics* 29:1. 119-121. (査読あり)
12. Terai G, Okida H, Asai K, Mituyama T (2012) Prediction of Conserved Precursors of miRNAs and Their Mature Forms by Integrating Position-Specific Structural Features. *PLoS ONE* 7(9): e44314. (査読あり)
13. Hiroki Ashida, Kiyoshi Asai, Michiaki Hamada (2012) Shape-based alignment of genomic landscapes in multi-scale resolution. *Nucleic Acids Res*, 40(14):6435-6448. (査読あり)
14. Michiaki Hamada, Kiyoshi Asai (2012) A Classification of Bioinformatics Algorithms from the Viewpoint of Maximizing Expected Accuracy (MEA). *Journal of Computational Biology*. May 2012, 19(5): 532-549. (査読あり)
15. Hisanori Kiryu, Kiyoshi Asai (2012) Rchange: algorithms for computing energy changes of RNA secondary structures in response to base mutations. *Bioinformatics* 28: 8. 1093-1101. (査読あり)
16. Martin C Frith, Ryota Mori, Kiyoshi Asai (2012) A mostly traditional approach improves alignment of bisulfite-converted DNA. *Nucleic Acids Res*, 40(13):e100. (査読あり)
17. Raymond Wan, Vo Ngoc Anh, Kiyoshi Asai (2012) Transformations for the compression of

- FASTQ quality scores of next-generation sequencing data. *Bioinformatics* 28: 5. 628-635. (査読あり)
18. Edward Wijaya, Martin C Frith, Kiyoshi Asai, Paul Horton (2012) RecountDB: a database of mapped and count corrected transcribed sequences. *Nucleic Acids Res* 40: Database issue. D1089-D1092. (査読あり)
 19. Michiaki Hamada, Koichiro Yamada, Kengo Sato, Martin C Frith, Kiyoshi Asai (2011) CentroidHomfold-LAST: accurate prediction of RNA secondary structure using automatically collected homologous sequences. *Nucleic Acids Res* 39: Web Server issue. W100-W106. (査読あり)
 20. Hisanori Kiryu, Goro Terai, Osamu Imamura, Hiroyuki Yoneyama, Kenji Suzuki, Kiyoshi Asai (2011) A detailed investigation of accessibilities around target sites of siRNAs and miRNAs. *Bioinformatics* 27: 13. 1788-1797. (査読あり)
 21. Michiaki Hamada, Edward Wijaya, Martin C Frith, Kiyoshi Asai (2011) Probabilistic alignments with quality scores: an application to short-read mapping toward accurate SNP/indel detection. *Bioinformatics* 27: 22. 3085-3092. (査読あり)
 22. Michiaki Hamada, Hisanori Kiryu, Wataru Iwasaki, Kiyoshi Asai (2011) Generalized centroid estimators in bioinformatics. *PLoS One* 6(2):e16450 (査読あり)
 23. Michiaki Hamada, Kengo Sato, Kiyoshi Asai (2011) Improving the accuracy of predicting secondary structure for aligned RNA sequences. *Nucleic Acids Res* 39(2):393-402. (査読あり)
 24. Michiaki Hamada, Kengo Sato, Kiyoshi Asai (2010) Prediction of RNA secondary structure by maximizing pseudo-expected accuracy. *BMC Bioinformatics* 11: 586. (査読あり)

高橋弘喜

1. Kusuya Y, Sakai K, Takahashi H, Yaguchi T (2016) Draft genome sequence of the pathogenic filamentous fungus *Aspergillus lentulus* IFM 54703T. *Genome Announc.*, in press. (査読有)
2. Imashimizu M, Takahashi H, Oshima T, McIntosh C, Bubunenko M, Court DL, Kashlev M (2015) Visualizing translocation dynamics and nascent transcript errors in paused RNA polymerases in vivo. *Genome Biol.*, 16(1):98. (査読有)
3. Kusuya Y, Takahashi-Nakaguchi A, Takahashi H, Yaguchi T (2015) Draft genome sequence of the pathogenic filamentous fungus *Aspergillus udagawae* strain IFM 46973T (2015) *Genome Announc.*, 3(4). (査読有)

笠原雅弘

1. Miyamoto M, Motooka D, Gotoh K, Imai T, Yoshitake K, Goto N, Iida T, Yasunaga T, Horii T, Arakawa K, Kasahara M, Nakamura S, Performance comparison of second- and third-generation sequencers using a bacterial genome with two chromosomes., *BMC Genomics*. 15:699, 2014. doi: 10.1186/1471-2164-15-699 (査読有)
2. 笠原雅弘「1 分子リアルタイム DNA シークエンサを用いた史上最高精度のゲノム配列解読」実験医学増刊号「ゲノム医学・生命科学研究総集編」31(15):2365, 2013 (和文総説・査読無)

矢田哲士

1. Ichinose N, Yada T, Gotoh O (2014) Tetrahedral gray code for visualization of genome information, *PLoS One*, 9:e86133. doi: 10.1371/journal.pone.0086133. 査読あり
2. Fujiwara T, Yada T (2013) miRNA-target prediction based on transcriptional regulation, *BMC Genomics*, 14(Suppl 2):S3. doi: 10.1186/1471-2164-14-S2-S3. 査読あり

3. Ichinose N, Yada T, Gotoh O (2012) Large-scale motif discovery using DNA Gray code and equiprobable oligomers, *Bioinform.*, 28:25-31. doi: 10.1093/bioinformatics/btr606. 査読あり
4. Yada T, Yoshida K, Morita M, Taniguchi T, Irie T, Suzuki Y (2011) Linear regression models predicting strength of transcriptional activity of promoters, *Genome Inform.*, 25:53-60. 査読あり
5. Irie T, Park SJ, Yamashita R, Seki M, Yada T, Sugano S, Nakai K, Suzuki Y (2011) Predicting promoter activities of primary human DNA sequences, *Nucl. Acids Res.*, 39:e75. doi: 10.1093/nar/gkr173. 査読あり

瀬々潤

1. Yamagata K, Yamanishi A, Kokubu C, Takeda J, Sese J. (2016) COSMOS: accurate detection of somatic structural variations through asymmetric comparison between tumor and normal samples. *Nucleic Acids Res. In press.* (査読あり)
2. 瀬々潤. 網羅的遺伝子発現量データの解析. *血液フロンティア*. 25(8):1145-52. (査読なし)
3. Terada A, Kim H, Sese J. (2015) High-speed Westfall-Young permutation procedure for genome-wide association studies. In *Proc. of ACM BCB 2015*. 17-26. doi:10.1145/2808719.2808721(査読あり)
4. Akama S, Shimizu-Inatsugi R, Shimizu K.K, Sese J. (2014) Genome-wide quantification of homeolog expression ratio revealed nonstochastic gene regulation in synthetic allopolyploid *Arabidopsis*. *Nucleic Acids Res.* 42 (6), e46. doi: 10.1093/nar/gkt1376(査読あり)
5. Terada A, Okada-Hatakeyama M, Tsuda K, Sese J. (2013) Statistical significance of combinatorial regulations. *Proc. Natl. Acad. Sci. USA.* 110(32):12996-13001. doi: 10.1073/pnas.1302233110(査読あり)